

Sec. 146-130. Vehicle Parking.

In all zoning districts off-street parking, also known as on-site parking, shall be provided for each of the uses identified herein-below at the ratios specified herein at the time any building or structure is (a) erected or (b) structurally altered, or at such other time when the use of an existing building is changed, except as otherwise specified by this chapter.

(1) Parking requirements.

Assisted living facility, nursing home, or rest home	1 parking space for every 4 beds. 1 parking space per 1.5 dwelling units.
Animal boarding or kennel	1 parking space for every four pens/runs plus 1 parking space for every 300 square feet of gross floor area (excluding pens/runs)
Bank, savings and loan, or similar institution	1 parking space for every 400 square feet plus 5 stacking spaces per drive-through teller or ATM station.
Bed and breakfast facility	1 parking space for every guest room plus the parking requirements for a detached single family dwelling shall apply to the owner/occupant of the facility
Boardinghouse or rooming house	1 parking space for each sleeping room.
Bus Station	1 parking space for every 250 square feet of waiting area.
Car wash (full service)	1 parking space for every 250 square feet of floor area in a lobby or waiting area plus 7-5 stacking spaces for each automated or full service wash bay, vacuum, or gas pump lane. The required stacking spaces shall begin at the automated or full service wash bay's entry. No parking or stacking shall be required for vacuum berths.
Car wash (self-serve)	1 parking space for each wash bay plus 1 stacking space for each wash bay. No parking or stacking spaces shall be required for vacuum berths. 1 parking space for each bay or stall (in addition to washing areas or stalls) plus 3 stacking spaces for each wash bay if automated drive-through or 2 stacking spaces for each wash bay if wand-type.
Church or other place of worship	1 parking space for each 3 seats in the main auditorium or assembly hall. If no fixed seating is proposed, 1 parking space shall be provided for every 50 square feet of floor area in the main auditorium or assembly hall.
College or university	10 parking spaces per classroom.

<u>Commercial</u> Amusement (indoor):		1 parking space for each <u>400-150</u> square feet of gross floor area for uses not listed below.
a.	Amusement center	1 parking space for every 50 square feet.
b.	Bingo parlors	1 parking space for every 3 seats or one for every 100 square feet, whichever is greater.
c.	Bowling alley	6 parking spaces for each <u>alleylane</u> .
d.	Racquetball or handball courts	3 parking spaces for each court.
e.	<u>Tennis courts, basketball courts, or similar recreation courts with no fixed seating</u> Indoor tennis courts	6 parking spaces for each court.
f.	Indoor jogging or running tracks	1 parking space for every 300 linear feet.
g.	Swimming pool	1 parking space for every 100 square feet of water surface plus deck area.
h.	Theatres and auditoriums, including motion picture theaters	1 parking space for every 4 seats.
i.	Areas for subsidiary uses not listed, such as restaurants, offices, etc.	Calculate required parking for each subsidiary use in addition to the minimum standards for other uses.
<u>Commercial</u> Amusement (outdoor):		
a.	Areas with fixed seating or bleachers	1 parking space for every 4 seats for fixed seating or for every 6 linear feet of benches for bleacher seating.
b.	Golf course	5 parking spaces per hole, plus requirements for retail parking, office parking, country club parking, and other uses as applicable.
c.	Golf driving range	1.5 parking spaces per driving tee.
d.	Soccer, football, baseball, or other play fields with no fixed seating	50 parking spaces per field.

e.	Tennis courts, basketball courts, or similar recreation courts with no fixed seating	6 parking spaces per court.
f.	Neighborhood pool	1 parking space per 200 square feet of pool surface area (not including wading pools or whirlpool baths) and 1 space per 400 square feet of building area.
g.	Swimming Pool	1 parking space for every 100 square feet of water surface plus deck area.
	Community center, library, museum, or art gallery	10 parking spaces plus one additional space for each 300 square feet of floor area in excess of 2,000 square feet. If an auditorium is included as a part of the building, its floor area shall be deducted from the total and additional parking provided on the basis of one space for each 4 seats that it contains.
	Contractor's yard	1 parking space for every 5,000 square feet of lot area, with a minimum of 5 spaces.
	Convenience store (with or without gas pumps)	1 parking space for every 250 square feet of floor area, with a minimum of 5 parking spaces. Spaces provided for fueling at the pump stations shall not be considered parking spaces.
	Day nursery or day care center	1 parking space for every 8 pupils, based on design capacity plus 6 stacking spaces shall be required per drive-through/pick-up lane.
	Dry cleaners (with drive-through)	1 parking space for every 250 square feet of floor area plus 3 stacking spaces shall be required per drive-through lane.
	Dwellings, duplex	2 parking spaces for every unit, including 1 covered or enclosed space.
	Dwellings, multiple family	For dwelling units not located in the commercial historical district, 1 enclosed parking space for each dwelling unit plus 0.5 space for each bedroom in all dwelling units. An additional 0.5 parking space per enclosed space shall be provided or a 20-foot long driveway in front of the garage door shall be provided. For dwelling units located in the Commercial Historic District as defined in section 146-97, there shall be provided 1 parking space for each dwelling unit.
	<u>Dwellings, multiple family (senior)</u>	<u>For dwelling units not located in the Commercial Historic District: 1 enclosed parking space for each dwelling unit. Enclosed parking spaces may include, but not be limited</u>

	<p>to an open-air, multi-level parking structure (excluding the top floor of said structure), tuck-under parking, and a detached garage(s). If a garage door is associated with the enclosed parking space, a 20-foot long driveway in front of the garage door shall be provided or an additional 0.5 parking space per enclosed space shall be provided elsewhere on-site. The 20-foot driveway in front of a garage door may be counted as a parking space.</p> <p>For dwelling units located in the Commercial Historic District as defined in section 146-97: 1 parking space for each dwelling unit shall be provided.</p>
Dwellings, Single—single Family—family attached	2 parking spaces for each unit including 2 covered or enclosed spaces <u>per unit</u> .
Dwellings, Single—single Family—family detached	2 parking spaces for each unit including 2 covered or enclosed spaces <u>per unit</u> ; except that if a dwelling is constructed under a program for affordable housing sponsored by the City or sponsored by a non-profit corporation approved by the City, 2 parking spaces must be provided for each unit, including a minimum of 1 covered or enclosed space.
Flea and farmers' market	1 parking space for every 250 square feet of market area.
Fraternity, sorority, or dormitory	1 parking space for each 2 beds.
Fueling station or gasoline station (no ancillary services)	1 parking space for every 4 pumping stations. Spaces provided for fueling at the pump stations shall not be considered parking spaces.
Furniture or appliance store, hardware store, wholesale establishments	1 parking space for every 400 square feet.
Fitness club, gymnasium, exercise area or similar use	1 parking space for every 150 square feet.
<u>Greenhouse or plant nursery</u>	<u>1 parking space for every 250 square feet of building floor area plus 1 parking space for every 10,000 square feet of outdoor product display areas.</u>
<u>Halfway house</u>	<u>1 parking space for every 2 beds.</u>
Hospital	1 parking space for each bed.
Hotel/motel or residence hotel	1 parking space for each sleeping room without a kitchen or 1.5 parking spaces for each sleeping room with a

	kitchen, plus 1 parking space for every 200 square feet of restaurant, retail, conference, or office area.
<u>Independent living facility (retirement community)</u>	<u>1 parking space for every dwelling unit.</u>
<u>Indoor Gun Range</u>	<u>2 parking spaces for each firing lane and 10 parking spaces for each instructional classroom, if any, plus all other parking requirements for any associated office use and/or retail use within, on and about the premises of the Indoor Gun Range.</u>
Industrial and manufacturing uses	1 parking space for every 1,000 square feet up to 20,000 square feet plus 1 parking space for every 2,000 square feet in excess of 20,000 square feet.
Junk yard, recycling center, and similar industrial uses	1 parking space for every 10,000 square feet of lot area.
Lodge, fraternal organization, country club or golf club	1 parking space for each <u>200-300</u> square feet of floor area.
Lumber yard	1 parking space for every 400 square feet of floor area, plus 1 parking space for every 1,000 square feet of warehouse.
<u>Machinery—Farm implement or _____ or _____ heavy equipment—machinery sales, service, repair-</u>	<u>1 parking space for every <u>400-10,000</u> square feet of <u>gross floor lot</u> area. <u>plus parking requirements for office and overnight storage of equipment. All types of equipment service or repair facilities must have a designated area on the site plan for the overnight storage of equipment awaiting repair. If overnight storage is proposed a minimum of 1 overnight storage space must be provided for each proposed service bay.-</u></u>
Mini-warehouse (self-storage)	4 parking spaces. A 12-foot wide loading zone shall be constructed in front of all access areas for each unit and shall not conflict with required fire lanes. A single loading zone may accommodate units on both sides of fire lane.
Mobile home or mobile home park	2 parking spaces for each mobile home plus additional spaces as required herein for accessory uses.
<u>Mortuary—or funeral home, or columbarium</u>	1 parking space for each 200 square feet of floor space in slumber rooms, parlors, or individual funeral service rooms.
Motor vehicle/automobile sales and new or used car lots	1 parking space for each 500 square feet of sales floor for indoor uses plus 1 parking space for each 1,000 square feet of outdoor display area in addition to spaces

	calculated for office and repair areas at their respective rates.
Motor vehicle/automobile repair and service (with or without gasoline sales)	2 parking spaces for each service bay with a minimum of 5 spaces plus parking requirements for office and overnight storage of vehicle. For quick lube or similar services, three stacking spaces for each service bay shall also be provided. Spaces provided for fueling at the pump stations shall not be considered parking spaces. All types of motor vehicle service or repair facilities must have a designated area on the site plan for the overnight storage of vehicles awaiting repair. If overnight storage is proposed a minimum of 1 overnight storage parking space must be provided for each proposed service bay.
Nursing home, skilled nursing facility, convalescent home	1 parking space for every 4 beds.
Office, (business, professional or research)	1 parking space for each 400 square feet.
Office, medical, dental, or similar health services	1 parking space for each 300 square feet of floor area.
Race track, horses or dogs	1 parking space for each 4 seats.
Restaurant, private club, nightclub, cafe, or similar recreational or amusement establishment	1 parking space for each 150 square feet of floor area, plus 6 stacking spaces from the point where the order is placed.
Retail store or personal service establishment, except as otherwise specified herein	1 parking space for every 250 square feet of floor area.
Retirement home (independent living)	1 parking space for each dwelling unit.
Roominghouse or boardinghouse	1 parking space for each sleeping room.
School, elementary	2.5 parking spaces for each classroom, plus 1 pick-up/drop-off lane consisting of at least 10 stacking spaces.
School, high	8 parking spaces for each classroom plus 1 parking space for each 4 seats in the main auditorium. Additional parking need not be provided for ancillary uses such as swimming pools or practice fields used solely by students and staff. The number of parking spaces required for

	stadiums or facilities used jointly by the public outside of regular school hours may be reduced by the number of spaces provided for use during regular school hours.
School, junior high or middle	2.5 parking spaces for each classroom plus 1 parking space for each 4 seats in the auditorium plus 1 pick-up/drop-off lane consisting of at least 10 stacking spaces. Additional parking need not be provided for ancillary uses such as swimming pools or practice fields used solely by students and staff. The number of parking spaces required for stadiums or facilities used jointly by the public outside of regular school hours may be reduced by the number of spaces provided for use during regular school hours.
<u>Studio (photo, music, art dance, dojo, health, etc.)</u>	<u>1 parking space for every 250 square feet of floor area.</u>
<u>Taxi or shuttle service</u>	<u>1 parking space per employee plus 1 parking space per taxi cab or shuttle vehicle.</u>
<u>Truck stops—</u>	<u>1 parking space for each 10,000 square feet of site area plus 1 vehicle space for each 250 square feet of building area.—</u>
Veterinarian clinic	1 parking space for each 300 square feet of floor space.
Warehouse type uses	1 parking space for each 4,000 square feet.

(2) *Rules for computing number of parking spaces.* In computing the number of parking spaces required for each of the above uses the following rules shall govern:

- a. The term "floor area" means the gross floor area of the specific use.
- b. Where fractional spaces result, the parking spaces required shall be constructed to be the next higher whole number.
- c. The parking space requirement for a use not specifically mentioned herein shall be the same as required for a use of similar nature.
- d. Whenever a building or use is changed or enlarged in floor area, number of employees, number of dwelling units, seating capacity, or otherwise, to create a need for an increase in the number of existing parking spaces, such spaces shall be provided on the basis of the enlargement or change. Whenever any building is enlarged to the extent of 50 percent or more in floor area or in the area used, said building or use shall then and thereafter comply with the parking requirements set forth herein.

- e. In the case of mixed uses, the parking spaces required shall equal the sum of the requirements of the various uses computed separately.
- f. Parking Reductions.
 - i. For multi-tenant retail shopping centers or office developments greater than 25,000 square feet in floor area, the sum of the total required parking may be reduced with site plan approval. Determination shall be based on the frequency of the anticipated peak parking demands, and location of parking spaces in relation to the building(s).
 - ii. For developments greater than 50,000 square feet in floor area, the sum of the total required parking may be reduced with site plan approval. Determination shall be based on the frequency of the anticipated peak parking demands, and location of parking spaces in relation to the building(s).
 - iii. The sum of the total required parking for a development may be reduced as indicated by the table below if a quality tree(s) is preserved.

<i>Size (DBH) of the preserved tree</i>	<i>Reduction in parking requirement</i>
6" to 8"	2 parking spaces
9" to 15"	3 parking spaces
16" to 30"	4 parking spaces
31" to 41"	5 parking spaces

- iv. If one, two, or all of the parking reductions specified above are utilized, the overall parking reduction shall not exceed ten percent of the sum of the total required parking for the development.

(3) *Shared parking spaces.* Under specific circumstances listed below, a limited number of parking spaces may be applied toward parking space requirements for two different uses. Proposed shared parking arrangements shall be considered during the site planning process. Not more than 50 percent of the parking spaces shall be required for:

- a. Theaters, bowling alleys, nightclubs, church or school auditoriums, or similar uses may be provided and used jointly by;
- b. Uses not normally open, used or operated during the same hours as those listed in subsection (3)a of this section.

- (4) *Location of parking spaces.* All parking spaces required herein shall be located on the same lot with the building or use served, except as follows:
- a. Required parking spaces for non-residential uses not located on the same lot with the building or use served may be located on another lot located no more than 500 feet from such building or use. Where no parking lot or building is being constructed, Staff may approve such off-site parking arrangements. If the proposed off-site parking proposal is related to or includes construction of a building or parking lot, proposed off-site parking arrangements shall be considered during the site plan process.
 - b. Parking requirements for uses in the Commercial Historic District shall be determined according to provisions of section 146-96.
- (5) *Parking agreements required.* For any shared parking arrangement or off-site parking arrangement described above, written agreements ensuring retention of such parking spaces for such purposes, shall be properly drawn and executed by the parties concerned, approved as to form by the City Attorney and shall be filed with the application for a building permit.
- a. A permanent easement for shared or off-site parking facilities shall be dedicated and recorded as a condition of such use.
 - b. A long-term remote parking agreement shall be provided.
- (6) *Parking design, pavement, and maintenance.* All off-street parking facilities, whether provided as required by this chapter, or provided in excess of these requirements, or otherwise provided, shall comply with the minimum requirements for parking and maneuvering space herein specified.
- a. *Minimum dimensions for off-street parking.* The minimum dimensions for off-street parking shall be as follows:
 1. Standard space: Nine feet (9') by eighteen feet (18').
 2. Parallel space: Eight feet (8') by twenty-two feet (22').
 3. Stacking space: Ten feet (10') by twenty feet (20').
 4. Drive aisles: Two-way drive aisles shall be at least twenty-four feet (24') wide; One-way drive aisles shall be at least twenty feet (20') wide when provided in conjunction with angled parking spaces; One-way drive aisles shall be at least twelve feet (12') wide when not provided in conjunction with parking spaces.

5. Handicap spaces: Handicap parking spaces shall be provided according to State of Texas Program for the Elimination of Architectural Barriers and shall conform to the Americans Disability Act (ADA) of 1991, as may be amended, accessibility guidelines (ANSI Standards).
6. The Director of Planning may administratively approve the re-striping of existing ten foot (10') wide spaces to nine feet (9') without requiring approval of a new site plan. This provision would not allow alteration of parking lot layouts, landscaping, or additional paving.
7. See the following appendix E, illustrations 13, 14, 15, 16, and 17, for maneuvering areas and overhang allowances for 90-degree, 60-degree, and 45-degree angle parking.

b. *Maneuvering.*

1. All maneuvering of vehicles shall take place on site or within a mutual access easement. No public right-of-way shall be used for backing or maneuvering into or from a parking space, or for circulation within the parking lot.
2. When off-street parking facilities are located adjacent to a public alley, the width of said alley may be assumed to be a portion of the maneuvering space requirement.

c. *Residential uses (except multiple family).*

1. Required parking spaces for new construction of Single Family, duplex, townhome, and mobile home dwelling units shall be provided on a paved concrete surface if the adjacent street is concrete. All driveways to the required spaces shall be paved with concrete, except in "AG" – Agricultural District and "RED" – Residential Estate Districts.
2. Required parking spaces for new construction of Single Family, duplex, townhome, and mobile home dwelling units shall be provided on a paved asphalt or concrete surface if located on a street other than one constructed of concrete. On such streets, all driveways to the required spaces shall be paved with asphalt or concrete, except in "AG" – Agricultural District and "RED" – Residential Estate Districts.

3. If a dwelling unit is reconstructed or rehabilitated and construction of a new driveway would otherwise be required, lots platted prior to the effective date of Ordinance No. 1270 (December 15, 1981), shall not be required to construct a new driveway.
4. At any time a residential driveway is reconstructed or replaced, the pavement surface shall be as follows:

<i>Existing surface</i>	<i>New surface</i>
Dirt or gravel	Gravel, asphalt, or concrete
Asphalt	Asphalt or concrete
Concrete	Concrete

5. If no enclosed parking spaces are provided, a minimum 48 square foot enclosed storage space with outdoor access shall be provided per unit.

d. *Non-residential and multiple family uses.*

1. All required off-street parking, maneuvering, and loading areas shall be paved with concrete or asphaltic material in accordance with parking lot requirements in the City's design standards, except where another surface is approved through the site plan process for special loading/unloading operations such as storage or use of tracked equipment.
2. Parking spaces shall be clearly identified by stripes, buttons, tiles, curbs, barriers, or other approved methods.
3. Barriers shall be installed to prevent overhang of vehicles into required landscape areas, rights-of-way, pedestrian ways, and private property.
4. For safety and firefighting purposes, cross access between parking areas of adjacent non-residential parcels shall be provided.
5. Fire lanes shall be provided as required by the adopted fire code of the City, and shall be adequately reinforced to withstand heavy vehicle loading.
6. Refuse facilities shall be located so as to facilitate pickup by refuse collection agencies. Sanitation containers shall not be

located in a designated parking space or loading area. Reinforced concrete pavement shall be provided for refuse facilities and their approaches for loading and unloading.

7. No parking area shall be used for repair, storage, dismantling, or servicing of vehicles or equipment.
8. No parking or loading area shall be used for storage of inventory, materials, display, sanitation containers, supplies, or for any other use, except as approved through the site plan process or through the issuance of a temporary use permit. Under no circumstances shall a required parking space be used for any purpose other than parking.
9. All off-street parking areas shall be kept free of litter, trash, debris, vehicle repair operations, display, and advertising uses.
10. The property owner shall be responsible for adequately maintaining all parking facilities, including paving, striping, elimination of debris, and correction of use violations.
11. At no time after initial approval of the parking area layout, can changes be made to the location or number of provided spaces, unless approved by the Director of Planning or through the site plan process.

(7) Parking prohibitions.

- a. No parking space, garage, carport, or other vehicle storage space or structure located on private property in a residential zone shall be used for the storage of any truck, truck trailer, or van with a manufacturer's rated capacity exceeding one ton, or any tractor, tractor trailer, farm trailer, or other agricultural equipment.
- b. It shall be unlawful for any person to park or permit to remain parked on a public street within the City any truck, truck trailer, or van with a manufacturer's rated capacity exceeding one ton, or any tractor, tractor trailer, farm trailer, or other agricultural equipment, between the hours of 6:00 p.m. and 7:00 a.m., except when said motor vehicles, trailers, or equipment are engaged in loading or unloading.
- c. No boat, trailer, camper trailer, motor home or other such recreational vehicle shall be parked or stored within the required front yard, except as may be permitted in the "ML" or "MH" districts. In Single Family residential districts, two family residential districts, and multiple family residential districts, the parking or storage of such vehicles is limited

to the rear yard only, and is limited to a maximum of one pleasure boat and one unoccupied trailer or motor home designed for recreational use not to exceed 24 feet in length. This restriction shall not apply to the storage of a boat or other vehicle in a fully enclosed building.

- d. Parking prohibitions on unsurfaced areas shall be as follows:
1. No car, truck, or other vehicle shall be parked on an unsurfaced area of the front yard. This provision shall not apply to those lots platted prior to the effective date of Ordinance No. 1270 (December 15, 1981).
 2. For lots platted prior to the effective date of Ordinance No. 1270 (December 15, 1981), no car truck, or other vehicle shall be parked on an unsurfaced area of the front yard if the lot has a concrete, asphalt, or gravel driveway.
 3. If a concrete, asphalt, or gravel driveway does exist for a lot platted prior to the effective date of Ordinance No. 1270 (December 15, 1981) and unique circumstances prevent strict adherence with subsection (7)d.2 of this section, the Chief Building Official may consider an exception to the provisions of subsection (7)d.2 of this section. The applicant shall prove that the exception from the zoning regulations is warranted under the circumstances presented. The Chief Building Official may approve the exception with conditions to limit the number of vehicles to be parked on an unsurfaced area, the area to be parked on, etc. The decision of the Chief Building Official may be appealed to the Board of Adjustment. The exception may be granted if the Chief Building Official or his designee finds that:
 - (i) Unique circumstances exist on the property, such as substandard lot size, size or location of existing structures, trees or topographical features, which make the application of subsection (7)d.2 of this section unduly burdensome;
 - (ii) The exception will have no adverse impact on current or future development;
 - (iii) The exception will have no adverse impact on the public health, safety, and general welfare; and
 - (iv) A financial hardship shall not be considered a hardship for granting an exception.

