


VICINITY MAP  
NTS



**LEGEND**

- Firelane
- Prop. Sidewalk/Concrete
- Concrete Sidewalk By City
- Proposed Wall
- Existing Fire Hydrant
- Proposed Fire Hydrant
- Barrier Free Ramp

**SITE DATA TABLE/SYNOPSIS**

<b>Address:</b>	402 E. Louisiana Street McKinney, Texas 75069		
<b>Zoning:</b>	MTC - McKinney Town Center, Transit Village Edge District		
<b>Proposed Use(s):</b>	Brewery, Restaurant, and Outdoor Amusement		
<b>Lot Area:</b>	3.906 Acres =	170,133 SF	
<b>ROW Dedication</b>	0.126 Acres =	5,469 SF	
<b>Building Information:</b>	# of Floors	Height (Ft-in)	Total Building Area (SF)
Office (Existing)	1	18-6	772
Loading Area (Existing)	1	18-9	272
Metal Building (Existing)	1	11-2	330
Taproom (Existing)	1	108-3	7,236
Taproom (Addition)	1	25-0	6,651
<b>Total Taproom</b>			<b>13,887</b>
Barrel Aging (Existing)	1	17-1	3,100
Covered Seating (Existing)	1	17-1	4,385
Stage (Existing)	1	17-1	981
Proposed Brewery	2	58-11	22,439
<b>Total Building Area:</b>			<b>46,166</b>
<b>Proposed Outdoor Dining Area:</b>			<b>6,370</b>
<b>Lot Coverage:</b>	25.01%		
<b>Floor to Area Ratio (FAR):</b>	0.27	:1	
<b>Paving/Sidewalk Area:</b>	82,500	SF	
<b>Impervious Percentage:</b>	48.49%		
<b>Parking Required:</b>			
Structures Less Than 2000 SF			0 Spaces
Taproom	*1 per 500 SF		24 Spaces
Barrel Aging	*1 per 500 SF		13 Spaces
Brewery	*1 per 1000 SF		20 Spaces
Outdoor Dining	*1 per 500 SF		9 Spaces
		<b>Total:</b>	<b>66 Spaces</b>
<b>Parking Provided (within 200' of Property):</b>			
Proposed East Louisiana Street Parking Lot			128 Spaces
Existing Parking Lot NW of Property			35 Spaces
Future Andrews Street			8 Spaces
		<b>Total:</b>	<b>171 Spaces</b>

**Parking Required:**

Structures Less Than 2000 SF		0 Spaces
Taproom	*1 per 500 SF	24 Spaces
Barrel Aging	*1 per 500 SF	13 Spaces
Brewery	*1 per 1000 SF	20 Spaces
Outdoor Dining	*1 per 500 SF	9 Spaces
	<b>Total:</b>	<b>66 Spaces</b>

\*Per the MTC zoning, the first 2,000 sf of each use is exempt from the parking requirement

**Parking Provided (within 200' of Property):**

Proposed East Louisiana Street Parking Lot	128 Spaces
Existing Parking Lot NW of Property	35 Spaces
Future Andrews Street	8 Spaces
<b>Total:</b>	<b>171 Spaces</b>

NOTE: THIS IS NOT A CONSTRUCTION DOCUMENT.  
THIS DOCUMENT IS FOR CONCEPTUAL PLANNING PURPOSES ONLY.

**CITY OF MCKINNEY STANDARD NOTES:**

Sanitation container screening walls will be brick masonry, stone masonry, or other architectural masonry finish, including a metal gate, primed and painted, and the sanitation container screening walls, gate, and pad site will be constructed in accordance with the city's design specifications.

Mechanical and heating and air conditioning equipment in non-residential uses shall be screened from view from the public right-of-way and from adjacent residential properties.

Lighting for the subject property will be constructed in conformance with Chapter 58 of the City of McKinney Code of Ordinances.

**FIRE PROTECTION SYSTEMS**

Building are required to be protected by an approved automatic fire sprinkler system, Class I standpipe, yard standpipe/hydrant, fire pump (TBD), and fire alarm system with full occupant notification. Specialized fire protection may be required for the Brewery. TBD

**ACCESS GATES/BOLLARDS**

All FD access gates shall be automatic only. Use of specialized bollards or swing arms in lieu of the gates may be permitted. Can be decorated to Tupps architectural style.

**INTERNAL FIRE LANE**

Construction of the internal fire lane shall be approved by the Fire Department under separate instrument. Consideration shall be given to increased use of GrassPave and alternative paving materials.

**ENGINEER:**  
Cross Engineering Consultants, Inc.  
1720 W. Virginia St.  
McKinney, Texas 75069  
Phone (972) 562-4409  
Fax (972) 562-4471  
Contact: Jon David Cross, P.E.

**ARCHITECT:**  
Conduit Architecture + Design  
711 N. Tennessee St.  
McKinney, Texas 75069  
Phone (972) 302-9747  
Contact: Eric Ciskowski

**SURVEYOR:**  
Ringley & Associates  
701 S. Tennessee St.  
McKinney, TX 75069  
Phone (972) 542-1266  
Fax (972) 542-8682  
Contact: Lawrence Ringley

**Note:**  
Adjacent roadway shown per 60% plans by BGE, Inc., dated 03/2021 and 04/2021 for Louisiana St. Improvements (C01817) and Andrews St. & Green St. Improvements (C02067) projects.

**BENCHMARK:**  
City of McKinney Benchmark:  
COM-43 = Aluminum Disc in concrete at the end of the curb on the Northeast corner of Murray Street and Louisiana Street. Elev. = 586.464

Site Benchmark:  
BM-1 = "X" in concrete in the southwest corner of a sanitary sewer manhole on the north side of Greenville Road and just east of the abandoned railroad tracks. Elev. = 601.16

BM-2 = "X" in the north edge of the concrete sidewalk on the southeast side of Greenville Road and Andrews Street. Elev. = 593.71

Issue Dates:	Revisions:	Date:
1 2/08/2021	1	
2 3/24/2021	2	
3 4/30/2021	3	
4 6/03/2021	4	
5	5	
6	6	

**CROSS ENGINEERING CONSULTANTS**  
1720 W. Virginia Street  
972.562.4409  
McKinney, Texas 75069  
Texas P.E. Firm No. F-5935

Drawn By: C.E.C.I. Checked By: C.E.C.I. Scale: 1"=40'

<p>THIS DOCUMENT IS RELEASED FOR THE PURPOSE OF INTERIM REVIEW UNDER THE AUTHORITY OF JONATHAN D. HAKE, P.E. NO. 94738 ON 6/15/21 IT IS NOT TO BE USED FOR CONSTRUCTION PURPOSES.</p>	<p><b>SITE PLAN</b></p> <p><b>TUPP'S BREWERY</b></p> <p>Blocks 1 &amp; 2 Andrews Addition</p> <p>William Davis Survey, Abstract No. 248</p> <p>City of McKinney, Texas</p>	<p>Sheet No.</p> <p><b>SP</b></p> <p>Project No.</p> <p>20040</p>

TUPP'S BREWERY