SKYWAY SITE #:	TX-09380	PLANS PREPARED FOR:						
SITE NAME:	PEACHTREE							
PROJECT DESCRIPTION:	PROPOSED WIRELESS TELECOMMUNICATIONS FACILITY							
TOWER TYPE:	95' UNIPOLE TOWER (99' OVERALL)							
SITE ADDRESS:	2705 VIRGINIA PARKWAY MCKINNEY, TX 75069 (COLLIN COUNTY)							
JURISDICTION:	CITY OF MCKINNEY	C	TOTAL	FDC				
DISTURBED AREA:	0.06 AC (2,496 S.F.)		KYWAY TOW	ERS				
PRESENT OCCUPANCY TYPE:	CHURCH PROPERTY		3637 MADACA LANE					
CURRENT ZONING:	PD		TAMPA, FL 33618					
PARCEL #:	2506196		PEACHTREE					
PROJECT INFOR	RMATION		SKYWAY SITE #: TX-093	380				
LATITUDE N 33° 11' 52.48" (NAD '83) LONGITUDE W 96° 38' 51.51" (NAD'83)		2705 VIRGINIA PARKWAY						
GROUND ELEV. (AMSL) = 609.2' (NAVD '88)		MCKINNEY, TX 75069						
			•	•				
1-A CERTIFICAT	ION		(COLLIN COUNTY)					
111 RD	BOIS D ARC RD	TOWER OWNER:	ALL WORK AND MATERIALS SHALL BE PERFORMED AND INSTALLED IN	SHEET DESCRIPTION				
	A DR	NAME: SKYWAY TOWERS ADDRESS: 3637 MADACA LANE CITY, STATE, ZIP: TAMPA, FL 33618	ACCORDANCE WITH THE CURRENT EDITIONS OF THE FOLLOWING CODES AS ADOPTED BY THE LOCAL GOVERNING AUTHORITIES. NOTHING IN THESE PLANS IS TO BE CONSTRUED TO PERMIT WORK NOT CONFORMING TO THE	T1 TITLE SHEET N1 GENERAL NOTES				
DINION CONTRACT	DOWN	CONTACT: SARA BENSON PHONE: (813) 960-6219	LATEST EDITIONS OF THE FOLLOWING: 1. INTERNATIONAL BUILDING CODE 4. ANSI/TIA/EIA-222-G	C1 ZONING EXHIBIT C2 SITE PLAN				
		SURVEYOR:	(2015 EDITION) 5. NEC (2014) 2. LOCAL BUILDING CODE 6. INTERNATIONAL FIRE CODE 3. CITY/COUNTY ORDINANCES (2015 EDITION)	C3 COMPOUND DETAIL C4 TOWER ELEVATION				
IOL NISHIBE CL NISHIBE CL NISHIBE CL NICKEEN	ACTION AND ACTION	NAME: RLF CONSULTING ADDRESS: 1214 N. STADEM DR.	CODE COMPLIANCE	C5 BLOCK WALL & GATE DETAILS L1 LANDSCAPE PLAN				
	WESTPARK DR N	CITY, STATE, ZIP: TEMPE, AZ 85281 CONTACT: TOM A. FIDLER		L2 LANDSCAPING DETAILS				
E E	SITE VIRGINIA PKWY Stores mc VIRGINIA PKWY SI Circle K Stores mc 2464,262 Medical Center of M	PHONE: (480) 445-9189	Know what's below. Call before you dig.					
CHAIN CONSIGNATION	LAKEVIEW CIR Medical Center of Monos Monos PECANTREE CIR MESTWOOD CIR	PROJECT ENGINEER: NAME: TOWER ENGINEERING	Know what's below. Call before you dig.					
POST CAK LIN CON CONTRACTOR	PEACHTREE LN 5	PROFESSIONALS, INC. ADDRESS: 326 TRYON ROAD CITY, STATE, ZIP: RALEIGH, NC 27603	BEFORE YOU DIG IN TEXAS CALL 811					
E B PEPPER TRE	So a with what	CONTACT: GRAHAM M. ANDRES, P.E. PHONE: (919) 661-6351	THE UTILITIES SHOWN HEREON ARE FOR THE CONTRACTORS CONVENIENCE ONLY. THERE MAY BE OTHER UTILITIES NOT SHOWN ON THESE PLANS. THE ENGINEER/					
DER ST	ROCKHILL RD ROCKHILL RD B B B C C C C C C C C C C C C C C C C	PROPERTY OWNER:	SURVEYOR ASSUMES NO RESPONSIBILITY FOR THE LOCATIONS SHOWN AND IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY ALL UTILITIES WITHIN THE LIMITS OF THE WORK. ALL DAMAGE MADE TO EXISTING UTILITIES BY THE CONTRACTOR SHALL BE THE SOLE RESPONSIBILITY OF THE CONTRACTOR.					
Ban	ULESTA LN	NAME: WESLEY METHODIST ADDITION ADDRESS: 2705 VIRGINIA PARKWAY	UTILITY STATEMENT					
N BROOK DR	FOOT HILLRD	CITY, STATE, ZIP: MCKINNEY, TX 75069 CONTACT: UNKNOWN PHONE: UNKNOWN	UTILITIES:					
LOCATION MAP		PHONE. UNKNOWN	POWER COMPANY: ONCOR ELECTRIC CONTACT: CUSTOMER SERVICE					
	ED ROUTE TO I-345/US-75 S. CONTINUE ON		PHONE: (888) 313-6862 METER # NEAR SITE: 107 267 351					
US-75 S FOR APPROXIMATELY 28 EXPY. MERGE ONTO S CENTRAL	.4 MILES. TAKE EXIT ONTO S CENTRAL . EXPY. TURN LEFT ONTO W VIRGINIA		TELEPHONE COMPANY: AT&T					
ON THE LEFT.	CARLISLE ST. TURN LEFT. SITE WILL BE		CONTACT: CUSTOMER SERVICE PHONE: (800) 331-0500 PHONE # NEAR SITE: (214) 814-1983					
			PEDESTAL # NEAR SITE: UNKNOWN					
DRIVING DIREC	TIONS	CONTACT INFORMATION		INDEX OF SHEETS				

	PLANS PREPARED BY: TOWER ENGINEERING PROFESSIONALS 326 TRYON ROAD RALEIGH, NC 27603 OFFICE: (919) 661-6351 www.tepgroup.net						
		7 6 5 4 3 2	05-12-20 05-08-20 11-07-19 07-18-19 07-16-19 07-08-19 06-05-19		FIRM # F-19415 SUP EXHIBIT SUP EXHIBIT SUP EXHIBIT SUP EXHIBIT SUP EXHIBIT SUP EXHIBIT ZONING		
				ЭМ	ZONIN ISSUED CHECKED	FOR:	JKW
ILS	REV 7 7 7 7 7 7 7 7 7 7 7 7 7 7	SEA	L.				
		SHE	et number: T-1	:	REVISION	7	4363


PROJECT NOTES:


- ALL REFERENCES MADE TO OWNER IN THESE DOCUMENTS SHALL BE CONSIDERED SKYWAY TOWERS OR ITS DESIGNATED REPRESENTATIVE
- ALL WORK PRESENTED ON THESE DRAWINGS MUST BE COMPLETED BY THE CONTRACTOR UNLESS NOTED 2. OTHERWISE. THE CONTRACTOR MUST HAVE CONSIDERABLE EXPERIENCE IN PERFORMANCE OF WORK SIMILAR TO THAT DESCRIBED HEREIN. BY ACCEPTANCE OF THIS ASSIGNMENT, THE CONTRACTOR IS ATTESTING TO HAVE SUFFICIENT EXPERIENCE AND ABILITY, IS KNOWLEDGEABLE OF THE WORK TO BE PERFORMED AND THAT IS PROPERLY LICENSED AND PROPERLY REGISTERED TO DO THIS WORK IN THE STATE OF TEXAS.
- THE STRUCTURE SHALL BE DESIGNED IN ACCORDANCE WITH ANSI/TIA-222-G-2-2009 AND CONFORM 3. TO THE REQUIREMENTS OF THE INTERNATIONAL BUILDING CODE, 2015 EDITION.
- WORK SHALL BE COMPLETED IN ACCORDANCE WITH THE INTERNATIONAL BUILDING CODE, 2015 EDITION. 4
- UNLESS SHOWN OR NOTED OTHERWISE ON THE CONTRACT DRAWINGS, OR IN THE SPECIFICATIONS, THE FOLLOWING NOTES SHALL APPLY TO THE MATERIALS LISTED HEREIN, AND TO THE PROCEDURES TO BE USED ON THIS PROJECT.
- ALL HARDWARE ASSEMBLY MANUFACTURER'S INSTRUCTIONS SHALL BE FOLLOWED EXACTLY AND SHALL SUPERSEDE ANY CONFLICTING NOTES ENCLOSED HEREIN.
- IT IS THE CONTRACTOR'S SOLE RESPONSIBILITY TO DETERMINE ERECTION PROCEDURE AND SEQUENCE TO ENSURE THE SAFETY OF THE STRUCTURE AND ITS COMPONENT PARTS DURING ERECTION AND/OR FIELD MODIFICATIONS. THIS INCLUDES, BUT IS NOT LIMITED TO, THE ADDITION OF TEMPORARY BRACING, GUYS OR TIE DOWNS THAT MAY BE NECESSARY. SUCH MATERIAL SHALL BE REMOVED AND SHALL REMAIN THE PROPERTY OF THE CONTRACTOR AFTER THE COMPLETION OF THE PROJECT.
- ALL DIMENSIONS, ELEVATIONS, AND EXISTING CONDITIONS SHOWN ON THE DRAWINGS SHALL BE FIELD VERIFIED 8 BY THE CONTRACTOR PRIOR TO BEGINNING ANY MATERIALS ORDERING, FABRICATION OR CONSTRUCTION WORK ON THIS PROJECT. CONTRACTOR SHALL NOT SCALE CONTRACT DRAWINGS IN LIEU OF FIELD VERIFICATION. ANY DISCREPANCIES SHALL BE IMMEDIATELY BROUGHT TO THE ATTENTION OF THE OWNER AND THE OWNER'S ENGINEER. THE DISCREPANCIES MUST BE RESOLVED BEFORE THE CONTRACTOR IS TO PROCEED WITH THE WORK. THE CONTRACT DOCUMENTS DO NOT INDICATE THE METHOD OF CONSTRUCTION. THE CONTRACTOR SHALL SUPERVISE AND DIRECT THE WORK AND SHALL BE SOLELY RESPONSIBLE FOR ALL CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES, AND PROCEDURES. OBSERVATION VISITS TO THE SITE BY THE OWNER AND/OR THE ENGINEER SHALL NOT INCLUDE INSPECTION OF THE PROTECTIVE MEASURES OR THE PROCEDURES.
- ALL MATERIALS AND EQUIPMENT FURNISHED SHALL BE NEW AND OF GOOD QUALITY, FREE FROM FAULTS AND DEFECTS AND IN CONFORMANCE WITH THE CONTRACT DOCUMENTS. ANY AND ALL SUBSTITUTIONS MUST BE PROPERLY APPROVED AND AUTHORIZED IN WRITING BY THE OWNER AND ENGINEER PRIOR TO INSTALLATION. 9. THE CONTRACTOR SHALL FURNISH SATISFACTORY EVIDENCE AS TO THE KIND AND QUALITY OF THE MATERIALS AND EQUIPMENT BEING SUBSTITUTED.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR INITIATING, MAINTAINING, AND SUPERVISING ALL SAFETY 10. PRECAUTIONS AND PROGRAMS IN CONNECTION WITH THE WORK. THE CONTRACTOR IS RESPONSIBLE FOR ENSURING THAT THIS PROJECT AND RELATED WORK COMPLIES WITH ALL APPLICABLE LOCAL, STATE, AND FEDERAL SAFETY CODES AND REGULATIONS GOVERNING THIS WORK, RENTAL CHARGES, SAFETY, PROTECTION, AND MAINTENANCE OF RENTED EQUIPMENT SHALL BE THE CONTRACTOR'S RESPONSIBILITY.
- ACCESS TO THE PROPOSED WORK SITE MAY BE RESTRICTED. THE CONTRACTOR SHALL COORDINATE INTENDED 11 CONSTRUCTION ACTIVITY, INCLUDING WORK SCHEDULE AND MATERIALS ACCESS, WITH THE OWNER PROJECT MANAGER
- 12. BILL OF MATERIALS AND PART NUMBERS LISTED ON CONSTRUCTION DRAWINGS ARE INTENDED TO AID CONTRACTOR/OWNER. CONTRACTOR/OWNER SHALL VERIFY PARTS AND QUANTITIES WITH MANUFACTURER PRIOR TO BIDDING AND/OR ORDERING MATERIALS.
- ALL PERMITS THAT MUST BE OBTAINED ARE THE RESPONSIBILITY OF THE CONTRACTOR. THE CONTRACTOR 13. WILL BE RESPONSIBLE FOR ABIDING BY ALL CONDITIONS AND REQUIREMENTS OF THE PERMITS.
- 24 HOURS PRIOR TO THE BEGINNING OF ANY CONSTRUCTION, THE CONTRACTOR MUST NOTIFY THE APPLICABLE 14. JURISDICTIONAL (STATE, COUNTY OR CITY) ENGINEER.
- THE CONTRACTOR SHALL REWORK (DRY, SCARIFY, ETC.) ALL MATERIAL NOT SUITABLE FOR SUBGRADE IN ITS PRESENT STATE. AFTER REWORKING, IF THE MATERIAL REMAINS UNSUITABLE, THE CONTRACTOR SHALL UNDERCUT THIS MATERIAL AND REPLACE WITH APPROVED MATERIAL. ALL SUBGRADES SHALL BE PROOFROLLED WITH A FULLY LOADED TANDEM AXLE DUMP TRUCK PRIOR TO PAVING. ANY SOFT MATERIAL SHALL BE 15. REWORKED OR REPLACED.
- THE CONTRACTOR IS REQUIRED TO MAINTAIN ALL PIPES, DITCHES, AND OTHER DRAINAGE STRUCTURES 16. FREE FROM OBSTRUCTION UNTIL WORK IS ACCEPTED BY THE OWNER. THE CONTRACTOR IS RESPONSIBLE FOR ANY DAMAGES CAUSED BY FAILURE TO MAINTAIN DRAINAGE STRUCTURE IN OPERABLE CONDITION.
- 17. THE OWNER SHALL HAVE A SET OF APPROVED PLANS AVAILABLE AT THE SITE AT ALL TIMES WHILE WORK IS BEING PERFORMED. A DESIGNATED RESPONSIBLE EMPLOYEE SHALL BE AVAILABLE FOR CONTACT BY GOVERNING AGENCY INSPECTORS.


- 18. ANY BUILDINGS ON THIS SITE ARE INTENDED TO SHELTER EQUIPMENT WHICH WILL ONLY BE PERIODICALLY MAINTAINED AND ARE NOT INTENDED FOR HUMAN OCCUPANCY.
- 19. TEMPORARY FACILITIES FOR PROTECTION OF TOOLS AND EQUIPMENT SHALL CONFORM TO LOCAL REGULATIONS AND SHALL BE THE CONTRACTOR'S RESPONSIBILITY.
- THE CONTRACTOR AND ITS SUBCONTRACTORS SHALL CARRY LIABILITY INSURANCE IN THE AMOUNTS AND FORM IN ACCORDANCE WITH OWNER SPECIFICATIONS. CERTIFICATES DEMONSTRATING PROOF OF COVERAGE SHALL BE PROVIDED TO OWNER PRIOR TO THE START OF THE WORK ON THE PROJECT. 20.
- THE CONTRACTOR SHALL CONTACT ALL APPLICABLE UTILITY SERVICES TO VERIFY LOCATIONS OF EXISTING 21. UTILITIES AND REQUIREMENTS FOR NEW UTILITY CONNECTIONS PRIOR TO EXCAVATING.
- THE CONTRACTOR SHALL MAINTAIN THE JOB CLEAR OF TRASH AND DEBRIS. ALL WASTE MATERIALS SHALL BE REMOVED FROM THE SITE PRIOR TO SUBSTANTIAL COMPLETION AND PRIOR TO FINAL ACCEPTANCE. THE CONTRACTOR SHALL FURNISH ONE 55 GALLON BARREL, AND TRASH BAGS, AND SHALL REMOVE TRASH, 22. DEBRIS. ETC., ON A DAILY BASIS.
- THE CONTRACTOR SHALL VISIT THE SITE AND BECOME FAMILIAR WITH ALL CONDITIONS PRIOR TO SUBMITTING 23. THE PROPOSAL. CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND CONDITIONS SHOWN ON THESE DRAWINGS WITH THOSE AT THE SITE. ANY VARIATION WHICH REQUIRES PHYSICAL CHANGE SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER PROJECT ENGINEER FOR FACILITIES/CONSTRUCTION.
- THE CONTRACTOR SHALL GUARANTEE THE WORK PERFORMED ON THE PROJECT BY THE CONTRACTOR AND 24. THE GUARANTEE SHALL BE FOR A FULL YEAR FOLLOWING ISSUANCE OF THE FINAL PAYMENT OF RETAINAGE. ALL MATERIALS AND WORKMANSHIP SHALL BE WARRANTED FOR ONE YEAR FROM ACCEPTANCE DATE.


UTILITY NOTES

- APPLY FOR THE UTILITY SERVICE (ELECTRIC) NO LATER THAN THE NEXT BUSINESS DAY FOLLOWING AWARD OF CONTRACT. COORDINATE WITH THE ELECTRIC UTILITY COMPANY FOR EXACT TRANSFORMER LOCATION, METERING REQUIREMENTS, AND THE SERVICE ROUTING. COORIDNATE WITH THE TELEPHONE UTILITY COMPANY FOR EXACT TELEPHONE REQUIREMENTS AND ROUTING OF SERVICE.
- ALL UTILITY RELATED WORK SHALL BE PERFORMED IN ACCORDANCE WITH APPLICABLE UTILITY REQUIREMENTS. 2. FIELD VERIFY EXISTING UTILITY LOCATIONS PRIOR TO CONSTRUCTION.
- THE CONTRACTOR SHALL CONTACT UTILITIES AND LOCATOR SERVICE A MINIMUM OF 72 HOURS PRIOR TO THE 3. START OF CONSTRUCTION. (TX ONE-CALL 1-800-344-8377).
- 4. CONTRACTOR SHALL PROVIDE TRENCHING AND CONDUITS AS SHOWN OR AS REQUIRED BY LOCAL UTILITY.
- 5. NO PENETRATIONS TO THE TOWER FOUNDATION OF ANY KIND.











TOWER ELEVATION


SCALE: λ_{16} " = 1'-0"





LANDSCAPE NOTES:

- 1. TOPSOIL TO BE PROVIDED BY SITE CONTRACTOR IN ROUGH GRADE TO WITHIN 1" OF FINISH GRADE.
- 2. EACH PLANT TO BE IN GOOD CONDITION AFTER SHEARING AND PRUNING.
- 3. EACH PLANT TO BE FREE FROM DISEASE, INSECT INFESTATION, AND MECHANICAL INJURIES, AND IN ALL RESPECTS BE SUITABLE FOR FIELD PLANTING.
- 4. ALL PLANTS TO BE FULLY GUARANTEED (LABOR AND MATERIALS) FOR A PERIOD OF NOT LESS THAN (1) YEAR FROM DATE OF INSTALLATION.
- 5. ALL PLANTS SHALL CONFORM TO THE AMERICAN STANDARD FOR NURSERY STOCK. ANSI Z60.I-1973 IN REGARD TO SIZING, GROWING, AND B&B SPECIFICATIONS.
- 6. THE CONTRACTOR SHALL PROTECT ALL EXISTING TREES AND SHRUBS WITHIN THE CONSTRUCTION AREA IDENTIFIED AS "TO REMAIN" FROM DAMAGE BY EQUIPMENT AND CONSTRUCTION ACTIVITIES.



SHRUB PLANTING DETAIL

TREE PLANTING DETAIL

LANDSCAPING DETAILS

SCALE: N.T.S.

