

# **EXHIBIT A**






# **Property Owner Notification Map**

ZONE2020-0109

DISCLAIMER: This map and information contained in it were developed exclusively for use by the City of McKinney. Any use or reliance on this map by anyone else is at that party's risk and without liability to the City of McKinney, its officials or employees or variances which may exist.



200' Buffer



#### METES AND BOUNDS DESCRIPTION OF THE PROPERTY

BEING a tract of land situated in the J. McGarrah Survey, Abstract No. 572, and the W. Hunt Survey, Abstract No. 450, in the City of McKinney, Collin County, Texas, being a portion of a tract conveyed to Jen Texas 22 LLC, according to the deed recorded in Document No. 20200904001497270 of the Deed Records, Collin County, Texas (DRCCT), and part of a tract conveyed to GRBK EDGEWOOD LLC, according to the deed recorded in Document No. 20200904001497940 DRCCT, with the subject tract being more particularly described as follows:

BEGINNING at a 1/2" iron rod with plastic cap found on a southeasterly line of Phase 1 Highridge Addition, recorded in Cabinet L, Page 868 PRCCT, for the easterly northwest corner of Lot 4R1, Block A, B and L Cox Addition, recorded in Cabinet 2018, Page 734 PRCCT;

THENCE along the common line of Phase 1 Highridge Addition, the following:

N 19°06'12" E, 168.71 feet to a 1/2" iron rod with plastic cap found;

N 70°53'48" W, 44.28 feet to a 1/2" iron rod found;

N 19°06'12" E, 220.00 feet to a 1/2" iron rod with plastic cap found;

S 70°53'48" E, 46.33 feet to a 1/2" iron rod with plastic cap found;

N 19°06'12" E, 320.00 feet to a 1/2" iron rod with plastic cap found;

N 70°53'48" W, 39.17 feet to a 1/2" iron rod with plastic cap found;

N 19°06'12" E, 105.39 feet to a 1/2" iron rod with plastic cap found;

N 70°53'48" W, 73.54 feet to a 1/2" iron rod found;

N 19°06'12" E, 249.90 feet to a 1/2" iron rod with plastic cap found;

And N 70°53'48" W, 284.73 feet to a point for corner;

THENCE departing said addition, the following:

N 19°06'12" E, 34.72 feet;

A tangent curve to the left having a central angle of 07°02'06", a radius of 375.00 feet, a chord of N 15°35'09" E - 46.02 feet, an arc length of 46.04 feet;

A reverse curve having a central angle of 07°02'06", a radius of 325.00 feet, a chord of N 15°35'09" E - 39.88 feet, an arc length of 39.91 feet;

N 19°06'12" E, 614.15 feet;

N 67°13'38" E, 13.35 feet;

A non-tangent curve to the left having a central angle of 00°23'05", a radius of 725.00 feet, a chord of S 65°14'12" E - 4.87 feet, an arc length of 4.87 feet;

N 24°34'15" E, 50.00 feet;

A non-tangent curve to the right having a central angle of 04°50′53″, a radius of 675.00 feet, a chord of N 63°00′18″ W - 57.10 feet, an arc length of 57.11 feet;

N 60°34'52" W, 100.09 feet;

A tangent curve to the right having a central angle of  $49^{\circ}51'32''$ , a radius of 325.00 feet, a chord of N  $35^{\circ}39'06''$  W - 273.98 feet, an arc length of 282.82 feet;

N 31°58'37" E, 14.91 feet;

A non-tangent curve to the right having a central angle of  $00^{\circ}11'14''$ , a radius of 300.00 feet, a chord of N 74°01'35" E - 0.98 feet, an arc length of 0.98 feet;

N 09°19'35" W, 74.06 feet;

A non-tangent curve to the right having a central angle of 00°22'40", a radius of 280.00 feet, a chord of S 87°53'13" W - 1.85 feet, an arc length of 1.85 feet;

A reverse curve having a central angle of 07°24'07", a radius of 320.00 feet, a chord of S 84°22'29" W - 41.31 feet, an arc length of 41.34 feet;

A reverse curve having a central angle of  $20^{\circ}18'18''$ , a radius of 1150.00 feet, a chord of N  $89^{\circ}10'26''$  W - 405.42 feet, an arc length of 407.55 feet;

A reverse curve having a central angle of 03°55'00", a radius of 550.00 feet, a chord of N 80°58'47" W - 37.59 feet, an arc length of 37.60 feet;

N 85°14'27" W, 50.17 feet;

And N 89°58'03" W, 115.00 feet to the east line of Lot 1, Block A, McKinney Fire Station Number 9 Addition, recorded in Cabinet 2018, Page 432 PRCCT;

THENCE N 00°01'55" E, 291.72 feet along the east line thereof to a 1/2" iron rod with plastic cap found;

THENCE N 89°58'05" W, 349.70 feet along the north line thereof to a 1/2" iron rod with plastic cap found on the east line of said Lake Forest Drive (also known as Farm to Market Road 1461);

THENCE along the east line of said right-of-way dedication, the following:

N 00°01'37" E, 515.64 feet to a 1/2" iron rod with plastic cap found;

A tangent curve to the left having a central angle of  $13^{\circ}38'39''$ , a radius of 1110.00 feet, a chord of N  $06^{\circ}47'42''$  W - 263.71 feet, an arc length of 264.33 feet to a 1/2'' iron rod with plastic cap found;

N 13°37'02" W, 8.66 feet to a 1/2" iron rod with plastic cap found;

N 00°01'12" E, 131.72 feet to a 5/8" iron rod with plastic cap found;

A non-tangent curve to the left having a central angle of 29°15'55", a radius of 617.99 feet, a chord of N 14°36'48" W - 312.23 feet, an arc length of 315.65 feet to a 1/2" iron rod with plastic cap found;

N 29°14'46" W, 86.51 feet to a 1/2" iron rod with plastic cap found;

And N 13°33'46" W, 156.25 feet;

THENCE N 89°38'31" E, departing said right-of-way, through the subject tracts, passing at 4665.44 feet a 1/2" iron rod found for the southwest corner of the right-of-way of County Road 943, conveyed to the City of McKinney, and continuing along the south line of said right-of-way a total distance of 8127.63 feet to the intersection thereof with the west line of Hardin Boulevard, a variable width right-of-way, for the northwest corner of the right-of-way portion thereof conveyed by deed recorded in Volume 5568, Page 4578 DRCCT;

THENCE along the west line of said right-of-way dedication, the following:

S 00°08'27" E, 112.85 feet to a 5/8" iron rod found;

N 89°51'33" E, 52.47 feet to a 1/2" iron rod found;

A tangent curve to the right having a central angle of  $56^{\circ}27'51''$ , a radius of 67.00 feet, a chord of  $61^{\circ}54'32''$  E - 63.39 feet, an arc length of 66.03 feet to a 1/2'' iron rod with plastic cap found;

S 09°32'09" E, 65.38 feet to a 1/2" iron rod with plastic cap found;

S 01°12'00" E, 695.07 feet;

A tangent curve to the right having a central angle of 51°15'04", a radius of 1790.00 feet, a chord of S 24°25'32" W - 1548.31 feet, an arc length of 1601.16 feet;

And S  $50^{\circ}03'04''$  W, 1218.82 feet to a point for the northeast corner of Heritage Bend, an addition recorded in Cabinet 2006, Page 547 PRCCT, from said point a 1/2'' iron rod with plastic cap found bears S  $50^{\circ}12'44''$  W, 1.47 feet;

THENCE along the common line of Heritage Bend, the following:

N 89°21'12" W, 865.49 feet;

```
N 89°29'09" W, 253.70 feet;
N 01°38'21" W, 352.03 feet;
N 01°51'44" E, 85.73 feet;
S 74°55'49" W, 300.71 feet;
S 71°37'34" W, 200.06 feet;
S 71°02'35" W, 147.56 feet;
S 04°34'54" W, 154.05 feet;
S 40°24'16" W, 142.89 feet;
N 89°31'34" W, 116.12 feet;
S 02°41'58" E, 169.11 feet;
N 88°54'05" W, 33.07 feet;
S 06°52'05" E, 54.29 feet;
S 01°10'56" W, 600.45 feet;
S 02°33'05" W, 300.00 feet;
And S 01°10'57" W, 293.17 feet to a 5/8" iron rod found for a northeasterly corner of a tract
conveyed to Hardin-380 McKinney, LP, recorded in Document No. 20180202000139820 DRCCT;
```

THENCE N 88°34'48" W, 469.20 feet along the north line thereof to the northeast corner of another tract conveyed to Darrell and Karen Lewis, recorded in Document No. 20190225000191880 DRCCT;

THENCE N 88°36'01" W, 494.02 feet continuing along the north line thereof;

THENCE N 88°15'18" W, 166.63 feet to the northeast corner of a tract conveyed to H.R. Lewis, recorded in Document No. 91-0070268 DRCCT;

THENCE N 89°58'32" W, 290.94 feet along the north line thereof;

THENCE N 89°35'20" W, 70.46 feet to the northeast corner of the first mentioned Darrell and Karen Lewis tract;

THENCE along the common line thereof, the following:

S 89°39'20" W, 411.68 feet;

N 88°28'11" W, 373.98 feet;

And N 89°28'52" W, passing at 191.57 feet a 1/2" iron rod found, and continuing through the subject tract a total distance of 512.31 feet to the east line of said Lot 4R1, Block A, B and L Cox Addition;

THENCE along the common line thereof, the following:


N 01°07'28" E, 208.79 feet;

N 88°15'47" W, 551.43 feet to a 1/2" iron rod found;

N 01°43'23" E, 146.42 feet to a 1/2" iron rod found;

And N  $70^{\circ}53'48''$  W, 99.42 feet to the POINT OF BEGINNING with the subject tract containing 26,370,213 square feet or 605.377 acres of land.

# **EXHIBIT C**



#### **DEVELOPMENT REGULATIONS**

#### 1) Definitions.

- A) Property means the property described on Exhibit A of this Ordinance.
- B) Special Residential means a use with multiple detached dwelling units located on the same platted lot that are designed to be rented.
- C) Zoning Exhibit means Exhibit B of this Ordinance, as amended in accordance with Section 3.
- 2) <u>Conflicts.</u> In the event of a conflict between this Ordinance and any other City ordinance, rule or regulation, including, but not limited to, the provisions of the City's comprehensive zoning ordinance, this Ordinance shall control.
- 3) **Zoning Exhibit.** Development and use of the Property shall be in accordance with the Zoning Exhibit. The size and shape of each subdistrict shown on the Zoning Exhibit may change without City approval provided the overall changes to the subdistrict do not change the subdistrict shown on the original Zoning Exhibit by more than ten percent.
- 4) <u>Tract 1 Special Residential</u>. The following regulations apply to Tract 1 on the Zoning Exhibit:
  - A) <u>Base zoning district</u>: "MF-3" Multiple Family Residential Medium-High Density District, as amended
  - B) <u>Permitted uses</u>: Attached single family, detached single family, and multi-family units are permitted by right. In addition, each use permitted in the MF-3 District to the same extent the use is permitted in such district. For example, if the MF-3 District permits a use by right, that use is permitted in Tract 1 by right. If the MF-3 District permits a use by SUP, that use is permitted in Tract 1 by SUP.

#### C) Development Standards.

- I) Development of Tract 1 with attached or detached single family uses shall comply with the development standards applicable to Tracts 2, 3, and 4.
- II) Development of Tract 1 with a multi-family use shall comply with the following development standards, which shall be the exclusive density, setback, lot size, building height, lot coverage, and building separation regulations applicable to a Special Residential use on Tract 1:
  - (1) Maximum density: 18 units per acre.
  - (2) Minimum lot area per unit within the lot: 1,200 square feet
  - (3) Minimum lot width: 60 feet

(4) Minimum lot depth: 100 feet

(5) Minimum building setback adjacent to an arterial street: 25 feet

(6) Minimum building setback from all other platted lot lines: 20 feet

(7) Minimum distance between buildings: 10 feet

(8) Maximum lot coverage: 50%

- D) <u>Landscaping</u>. The landscaping requirements applicable to a multifamily use, as set forth in Section 146-135 of the zoning ordinance, as amended, shall apply to a Special Residential tract.
- E) Open Space. All multi-family units shall be located within 500 feet of an open space area designated on a site plan.
- F) <u>Parking</u>. A minimum of one parking space per bedroom shall be required for a multifamily, but in no event shall more than two parking spaces be required for a three bedroom dwelling without an attached garage for up to 40 dwelling units.
- 5) <u>Tracts 2, 3, and 4 Single Family Residential</u>. The following regulations apply to Tracts 2, 3, and 4 on the Zoning Exhibit:
  - A) Base zoning district: SF-5 Single Family Residential District, as amended
  - B) <u>Permitted uses</u>. Attached and detached single family residential dwellings are permitted by right. In addition, each use permitted in the SF-5 District to the same extent the use is permitted in such district. For example, if the SF-5 District permits a use by right, that use is permitted in Tracts 2, 3, and 4 by right. If the SF-5 District permits a use by SUP, that use is permitted in Tracts 2, 3, and 4 by SUP.
  - C) <u>Development standards</u>. Development of Tracts 2, 3 and 4 shall comply with the following development standards, which shall be the exclusive lot size, setback, density, and height restrictions applicable to Tracts 2, 3, and 4:

| DEVELOPMENT              | SF        | SF        | SF DETACHED   | SINGLE   |
|--------------------------|-----------|-----------|---------------|----------|
| STANDARDS – TRACTS 2, 3, | DETACHED  | DETACHED  | LOTS LESS     | FAMILY   |
| AND 4                    | LOTS MIN. | LOTS MIN. | THAN 50' WIDE | ATTACHED |
|                          | 60' WIDE  | 50' WIDE  |               |          |
| MINIMUM LOT AREA         | 6600 SF   | 5500 SF   | 2700 SF       | 2160 SF  |
| MINIMUM LOT WIDTH        | 60'       | 50'       | 30'           | 24'      |
| MINIMUM LOT DEPTH        | 110'      | 110'      | 90'           | 90'      |
| MINIMUM FRONT YARD       |           |           |               |          |
| BUILDING SETBACK         |           |           |               |          |
| 1. PRIMARY FACADE        | 20'       | 20'       | 10'           | 10'      |
| OF THE HOUSE             |           |           |               |          |
| 2. GARAGE DOOR           | 20'       | 20'       | NA            | NA       |

| DEVELOPMENT                         | SF        | SF        | SF DETACHED   | SINGLE               |
|-------------------------------------|-----------|-----------|---------------|----------------------|
| STANDARDS – TRACTS 2, 3,            | DETACHED  | DETACHED  | LOTS LESS     | FAMILY               |
| AND 4                               | LOTS MIN. | LOTS MIN. | THAN 50' WIDE | ATTACHED             |
|                                     | 60' WIDE  | 50' WIDE  |               |                      |
| 3. UNENCLOSED                       | 10'       | 10'       | 10'           | 10'                  |
| FRONT PORCH,                        |           |           |               |                      |
| PATIO, OR SIMILAR                   |           |           |               |                      |
| STRUCTURE                           |           |           |               |                      |
| MINIMUM REAR YARD                   |           |           |               |                      |
| SETBACK                             |           |           |               |                      |
| 1. PRIMARY FAÇADE                   | 15'       | 15'       | 10'           | 10'                  |
| OF THE HOUSE                        |           |           |               |                      |
| 2. GARAGE DOOR                      | 20'       | 20'       | 20'           | 20'                  |
| ACCESSED FROM                       |           |           |               |                      |
| AN ALLEY                            |           |           |               |                      |
| MINIMUM SIDE YARD                   |           |           |               |                      |
| SETBACK                             | <u></u>   | 71        | <b>71</b>     | 101                  |
| 1. INTERIOR SIDE                    | 5'        | 5'        | 5'            | 10'                  |
| YARD                                |           |           |               | BETWEEN              |
| 2 INTEDIOD CIDE                     | 1'-9' *   | 1'-9' *   | 1'-9' *       | BUILDINGS<br>1'-9' * |
| 2. INTERIOR SIDE<br>YARD-ZERO LOT   | 1 -9 "    | 1-9       | 1'-9 *        | 1'-9'                |
| LINE                                |           |           |               |                      |
| COMBINATION *                       |           |           |               |                      |
| 3. SIDE YARD                        | 15'       | 15'       | 15'           | 10'                  |
| ADJACENT TO                         | 13        | 13        | 13            | 10                   |
| STREET                              |           |           |               |                      |
| 4. GARAGE DOOR                      | 20'       | 20'       | N/A           | N/A                  |
| ACCESSED FROM A                     |           | 20        | 1071          | 1 1/12               |
| STREET                              |           |           |               |                      |
| MAXIMUM HEIGHT OF                   | 35'       | 35'       | 35'           | 35'                  |
| STRUCTURE                           |           |           |               |                      |
| MAXIMUM NUMBER OF                   | NA        | NA        | 600           | 400                  |
| DWELLING UNITS BY                   |           |           |               |                      |
| <b>TYPE IN TRACTS 2, 3, &amp; 4</b> |           |           |               |                      |
| MAXIMUM NUMBER OF                   |           | 1         | 800           |                      |
| TOTAL DWELLING UNITS                |           |           |               |                      |
| IN TRACTS 2, 3, & 4                 |           |           |               |                      |

<sup>\*</sup> SETBACK DETERMINED AT TIME OF PRELIMINARY-FINAL PLATTING, MUST HAVE 10' SEPARATION BUILDING TO BUILDING

- D) Mean and Median Lot size. At full buildout, the mean and median lot size for detached lots shall be a minimum of 6,200 square feet in Tract 2; 6,800 square feet in Tract 3; and 5,000 square feet in Tract 4.
- 6) <u>Tract 5 Commercial</u>. The following regulations apply to Tract 5 on the Zoning Exhibit:
  - A) Base zoning district: C-2 Local Commercial District, as amended

- B) <u>Permitted uses</u>: Each use permitted in the C-2 Local Commercial District to the same extent the use is permitted in such district. For example, if the C-2 Local Commercial District permits a use by right, that use is permitted in Tract 5 by right. If the C-2 Local Commercial District permits a use by SUP, that use is permitted in Tract 5 by SUP.
- C) <u>Development standards</u>. Development of the Commercial Subdistrict shall comply with C-2 Local Commercial District regulations in Appendix F of the zoning ordinance, as amended.
- 7) <u>Tract 6 Flex Use</u>. The following regulations apply to Tract 6 on the Zoning Exhibit:
  - A) Base zoning district: C-2 Local Commercial District
  - B) <u>Permitted uses</u>: Each use permitted in Tract 1, 2, 3, 4, or 5.
  - C) <u>Development standards</u>.
    - I) All uses permitted in Tracts 2, 3, and 4 shall be developed in accordance with the development standards applicable to Tracts 2, 3, and 4.
    - II) Special Residential uses shall be developed in accordance with the development standards applicable to Tract 1.
    - III) All non-residential uses permitted in the C-2 Local Commercial District shall be developed in accordance with the development standards applicable to Tract 5.
  - D) A minimum of six acres within Tract 6 shall be developed with non-residential uses.

#### 8) General Provisions.

A) Minor Amendments. The Director of Planning may approve a maximum five-foot reduction in any minimum building setback and an increase in any maximum lot coverage of up to five percent.