







WHEREAS, Bloomdale 140, LP is the owner of a 62.397-acre (2,718,021-square-foot) tract of land situated in the Meredith Hart Survey, Abstract No. 371, City of McKinney, Collin County, Texas; said tract being part of that certain tract of land described in Special Warranty Deed with Vendor's Lien to Bloomdale 140, LP recorded in Instrument No. 20140926001050260 of the Official Public Records of Collin County, Texas; said 62.397-acre tract being more particularly described by metes and bounds as follows:

BEGINNING, at a 5/8-inch iron rod with "BGE" cap found for the easternmost southeast corner of Lot 1, Block A, Modera McKinney Addition, an addition to the City of McKinney according to the plat recorded in Instrument No. 2023010000022 of said Official Public Records;

THENCE, with the east line of said Lot 1, Block A, the following three (3) calls:

- North 00 degrees 11 minutes 04 seconds West, a distance of 104.98 feet to a 5/8-inch iron rod with "BGE" cap found for corner;
- North 05 degrees 27 minutes 55 seconds East, a distance of 154.65 feet to a 5/8-inch iron rod with "BGE" cap found for corner;
- North 49 degrees 55 minutes 33 seconds East, a distance of 94.26 feet to a point for corner in the approximate centerline of a creek;

THENCE, South 75 degrees 39 minutes 23 seconds East, departing the said east line of Lot 1, Block A and the said approximate centerline of a creek, a distance of 582.50 feet to a 5/8-inch iron rod with "BGE" cap set for corner; said point being a northeast corner of said Bloomdale 140 tract and the southwest corner of that certain tract of land described in Warranty Deed with Vendor's Lien to Raybun L. Housley, et ux, Frances Helen Housley recorded in Volume 741, Page 648 of the Deed Records of Collin County, Texas;

THENCE, with a north line of said Bloomdale 140 tract and the south line of said Housley tract, the following five (5) calls:

- South 71 degrees 42 minutes 07 seconds East, a distance of 131.38 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- North 61 degrees 58 minutes 33 seconds East, a distance of 71.83 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- South 06 degrees 30 minutes 32 seconds East, a distance of 67.68 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- South 56 degrees 23 minutes 54 seconds East, a distance of 86.90 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- South 76 degrees 27 minutes 51 seconds East, a distance of 86.68 feet to a point for corner in the approximate centerline of Honey Creek Tributary; said point being in the east line of said Bloomdale 140 tract and in the west line of that certain tract of land described in Warranty Deed to RWR Partners, L.P. recorded in Instrument No. 96-0105405 of the Land Records of Collin County, Texas;

THENCE, with the said approximate centerline of Honey Creek Tributary, the said east line of Bloomdale 140 tract. the said west line of RWR Partners tract, and the west line of that certain tract of land described in Special Warranty Deed with Vendor's Lien to BB Community Holding LLC recorded in Instrument No. 2022000173933 of said Official Public Records, the following twenty-four (24) calls:

- South 22 degrees 01 minutes 34 seconds West, a distance of 195.43 feet to a point for
- South 66 degrees 47 minutes 49 seconds West, a distance of 83.64 feet to a point for
- South 33 degrees 06 minutes 26 seconds West, a distance of 225.46 feet to a point for
- South 00 degrees 41 minutes 37 seconds West, a distance of 310.25 feet to a point for
- South 17 degrees 41 minutes 12 seconds East, a distance of 55.82 feet to a point for
- South 49 degrees 12 minutes 35 seconds West, a distance of 82.03 feet to a point for
- South 12 degrees 30 minutes 09 seconds West, a distance of 107.68 feet to a point for
- South 65 degrees 01 minutes 45 seconds West, a distance of 125.79 feet to a point for
- corner;

South 31 degrees 37 minutes 29 seconds West, a distance of 120.88 feet to a point for

- South 65 degrees 47 minutes 02 seconds West, a distance of 129.08 feet to a point for
- South 03 degrees 10 minutes 02 seconds West, a distance of 126.11 feet to a point for
- South 08 degrees 40 minutes 28 seconds East, a distance of 123.40 feet to a point for corner;
- South 68 degrees 50 minutes 15 seconds West, a distance of 87.65 feet to a point for
- South 31 degrees 45 minutes 15 seconds West, a distance of 111.20 feet to a point for
- corner; South 14 degrees 22 minutes 39 seconds East, a distance of 140.60 feet to a point for
- South 56 degrees 39 minutes 40 seconds West, a distance of 70.95 feet to a point for

North 83 degrees 42 minutes 07 seconds West, a distance of 67.00 feet to a point for

South 08 degrees 56 minutes 50 seconds West, a distance of 202.01 feet to a point for

- South 50 degrees 40 minutes 30 seconds West, a distance of 233.81 feet to a point for corner;
- South 13 degrees 56 minutes 50 seconds West, a distance of 200.03 feet to a point for
- South 03 degrees 56 minutes 50 seconds West, a distance of 200.03 feet to a point for
- South 53 degrees 56 minutes 50 seconds West, a distance of 200.03 feet to a point for

- South 43 degrees 56 minutes 50 seconds West, a distance of 150.02 feet to a point for
- South 59 degrees 22 minutes 48 seconds West, a distance of 170.06 feet to a point for corner in the northeast right-of-way line of Bloomdale Road (a variable-width public right-of-way); said point being the beginning of a non-tangent curve to the right;

THENCE, with the said northeast right-of-way line of Bloomdale Road, the following four (4) calls:

- With said curve to the right, having a central angle of 06 degrees 15 minutes 48 seconds, a radius of 1,940.00 feet, a chord bearing and distance of North 51 degrees 15 minutes 15 seconds West, 211.96 feet, and an arc length of 212.07 feet to a 5/8-inch iron rod with "BGE" cap set for corner at the end of said curve;
- South 42 degrees 13 minutes 50 seconds West, a distance of 8.00 feet to a 5/8-inch iron rod with "BGE" cap set for corner at the beginning of a non-tangent curve to the right;
- With said curve to the right, having a central angle of 08 degrees 30 minutes 16 seconds, a radius of 1,948.00 feet, a chord bearing and distance of North 43 degrees 52 minutes 08 seconds West, 288.88 feet, and an arc length of 289.15 feet to a 5/8-inch iron rod with "BGE" cap set for corner at the end of said curve and the beginning of a reverse curve to the right;
- With said curve to the left, having a central angle of 05 degrees 56 minutes 53 seconds, a radius of 2,166.00 feet, a chord bearing and distance of North 42 degrees 35 minutes 26 seconds West, 224.76 feet, and an arc length of 224.86 feet to a 5/8-inch iron rod with "BGE" cap set for corner at the end of said curve;

THENCE, departing the said northeast right-of-way line of Bloomdale Road and into and across said Bloomdale 140 tract, the following twenty-seven (27) calls:

- North 36 degrees 11 minutes 50 seconds East, a distance of 284.20 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- North 23 degrees 16 minutes 12 seconds East, a distance of 337.98 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- North 14 degrees 36 minutes 58 seconds East, a distance of 242.80 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- North 62 degrees 46 minutes 02 seconds West, a distance of 749.11 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- North 09 degrees 19 minutes 05 seconds West, a distance of 256.25 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- North 35 degrees 40 minutes 55 seconds East, a distance of 19.44 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- North 80 degrees 40 minutes 55 seconds East, a distance of 211.90 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- South 54 degrees 20 minutes 44 seconds East, a distance of 21.22 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- North 80 degrees 37 minutes 38 seconds East, a distance of 60.00 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- North 27 degrees 30 minutes 29 seconds East, a distance of 24.91 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- North 09 degrees 19 minutes 05 seconds West, a distance of 50.00 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- North 54 degrees 20 minutes 44 seconds West, a distance of 21.22 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- North 09 degrees 22 minutes 22 seconds West, a distance of 620.09 feet to a 5/8-inch iron rod with "BGE" cap set for corner; said point being the beginning of a tangent curve to the right;
- With said curve to the right, having a central angle of 08 degrees 07 minutes 55 seconds, a radius of 470.00 feet, a chord bearing and distance of North 05 degrees 18 minutes 25 seconds West, 66.65 feet, and an arc length of 66.71 feet to a 5/8-inch iron rod with "BGE" cap set for corner at the end of said curve;
- North 47 degrees 00 minutes 52 seconds East, a distance of 57.96 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- South 87 degrees 59 minutes 08 seconds East, a distance of 430.78 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- South 48 degrees 40 minutes 45 seconds East, a distance of 23.21 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- South 09 degrees 22 minutes 22 seconds East, a distance of 21.37 feet to a 5/8-inch iron
- rod with "BGE" cap set for corner; North 80 degrees 37 minutes 38 seconds East, a distance of 50.00 feet to a 5/8-inch iron
- rod with "BGE" cap set for corner;
- North 09 degrees 22 minutes 22 seconds West, a distance of 16.40 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- North 41 degrees 19 minutes 15 seconds East, a distance of 26.23 feet to a 5/8-inch iron
- rod with "BGE" cap set for corner; North 86 degrees 48 minutes 30 seconds East, a distance of 25.43 feet to a 5/8-inch iron
- rod with "BGE" cap set for corner; North 03 degrees 11 minutes 30 seconds West, a distance of 50.00 feet to a 5/8-inch iron
- rod with "BGE" cap set for corner;
- South 86 degrees 48 minutes 30 seconds West, a distance of 37.27 feet to a 5/8-inch iron rod with "BGE" cap set for corner;
- North 44 degrees 35 minutes 27 seconds West, a distance of 15.52 feet to a 5/8-inch iron rod with "BGE" cap set for corner; said point being the beginning of a non-tangent curve to the right;
- With said curve to the right, having a central angle of 02 degrees 04 minutes 53 seconds, a radius of 375.00 feet, a chord bearing and distance of North 00 degrees 59 minutes 38 seconds East, 13.62 feet, and an arc length of 13.62 feet to a 5/8-inch iron rod with "BGE" cap set for corner at the end of said curve;
- North 04 degrees 16 minutes 37 seconds East, a distance of 255.84 feet to a 5/8-inch iron rod with "BGE" cap set for corner in a south line of said Lot 1, Block A;

THENCE, South 86 degrees 39 minutes 01 seconds East, with a south line of said Lot 1, Block A, a distance of 17.73 feet to the POINT OF BEGINNING and containing 62.397 acres or 2,718,021 square feet of land, more or less.

OWNER'S DEDICATION

STATE OF TEXAS COUNTY OF COLLIN

NOW, THEREFORE, KNOW ALL MEN BY THESE PRESENTS:

THAT Bloomdale 140, LP acting herein by and through its duly authorized officers, does hereby adopt this final plat designating the herein above described property as BLOOMDALE EAST, and does hereby dedicate to the public use forever, the streets, alleys and public use areas shown hereon, and the easements, as shown, for mutual use and accommodation of the City of McKinney and all public utilities desiring to use or using same. All and any public utility and the City of McKinney shall have the right to remove and keep removed all or parts of any buildings, fences, shrubs, trees, or other improvements or growths, which in any way, endanger or interfere with the construction, maintenance or efficiency of its respective systems on said easements, and the City of McKinney and all public utilities shall have the right of ingress and egress to and upon said easements for constructing, reconstructing, inspecting, patrolling, maintaining and adding to or removing all or part of it's respective systems, without the necessity, at any time, of procuring the permission of anyone.

This plat approved subject to all platting ordinances, rules, regulations and resolution to the City of McKinney, Texas.

WITNESS MY HAND, this _____ day of _____, 2023.

BLOOMDALE 140, LP

Kirby Jones

STATE OF TEXAS COUNTY OF COLLIN

Authorized Signer

a Texas limited partnership

BEFORE ME, the undersigned authority, a Notary Public in and for said county and state, on this day personally appeared Kirby Jones, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same for the purpose and consideration thereof expressed.

GIVEN UNDER MY HAND AND SEAL OF OFFICE

THIS _____, 2023.

NOTARY PUBLIC in and for the STATE OF TEXAS

LINE TABLE NUMBER BEARING DISTANCE S 42*13'50" W 8.00' N 35°40'55" E | 19.44' S 54°20'44" E 21.22' N 80°37'38" E 60.00' N 27°30'29" E 24.91' N 09°19'05" W | 50.00' N 54°20'44" W 21.22' N 47°00'52" E | 57.96' S 48°40'45" E 23.21 S 09°22'22" E 21.37 N 80°37'38" E 50.00' N 09°22'22" W 16.40' L13 N 41°19'15" E 26.23' N 86°48'30" E 25.43' N 03°11'30" W | 50.00' S 86°48'30" W 37.27' N 44°35'27" W | 15.52' L18 | S 86°39'01" E | 17.73'

CURVE TABLE						
NUMBER	DELTA	RADIUS	CHORD BEARING	CHORD DISTANCE	ARC LENGTI	
C1	6°15'48"	1940.00'	N 51°15'15" W	211.96'	212.0	
C2	8°30'16"	1948.00'	N 43°52'08" W	288.88'	289.1	
С3	5*56'53"	2166.00'	N 42°35'26" W	224.76'	224.8	
C4	8°07'55"	470.00'	N 05°18'25" W	66.65'	66.7	
C5	2°04'53"	375.00'	N 00°59'38" E	13.62'	13.6	
			-			

SURVEYOR'S CERTIFICATE

STATE OF TEXAS

COUNTY OF COLLIN

THAT I, Gregory Mark Peace, a Registered Professional Land Surveyor in the State of Texas, do hereby state that to the best of my knowledge, information and belief, that I have prepared this plat from an actual survey made on the ground of the property shown hereon, and that the corner monuments shown hereon actually exist or were placed under my supervision in accordance with the Platting Rules and Regulations of the City of McKinney, Collin County, Texas.

Preliminary, this document shall not be recorded for any purpose and shall not be used or viewed or relied upon as a final survey document.

Gregory Mark Peace Registered Professional Land Surveyor No. 6608

Preliminary, this document shall not be recorded for any purpose and shall not be used or viewed or relied upon as a final survey document.

STATE OF TEXAS COUNTY OF COLLIN

BEFORE ME, the undersigned authority, a Notary Public in and for said county and state, on this day personally appeared Gregory Mark Peace known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same for the purpose and consideration thereof expressed.

GIVEN UNDER MY HAND AND SEAL OF OFFICE

THIS _____, 2023.

NOTARY PUBLIC in and for the STATE OF TEXAS

PARCEL TABLE		PARCEL TABLE			PARCEL TABLE			PARCEL TABLE			
LOT	SQ. FT.	ACRES	LOT	SQ. FT.	ACRES	LOT	SQ. FT.	ACRES	LOT	SQ. FT.	ACRES
A-2	4,402	0.101	C-25	2,554	0.059	E-16	2,575	0.059	CA-A1	1,568	0.036
A-3	2,547	0.058	C-26	4,416	0.101	E-17	2,575	0.059	CA-B1	3,200	0.073
A-4	2,528	0.058	CA-B4	3,438	0.079	E-18	2,575	0.059	CA-B2	1,463	0.034
A-5	2,500	0.057	D-8	4,559	0.105	E-19	2,575	0.059	CA-B3	1,872	0.043
A-6	2,499	0.057	D-9	2,500	0.057	E-20	2,575	0.059	CA-B4	3,438	0.079
A-7	4,521	0.104	D-10	2,500	0.057	E-21	4,630	0.106	CA-B5	1,463	0.034
B-6	4,353	0.100	D-11	2,500	0.057	E-22	3,937	0.090	CA-C1	1,470	0.034
B-7	2,612	0.060	D-12	2,500	0.057	E-23	2,500	0.057	CA-C2	1,400	0.032
B-8	2,612	0.060	D-13	4,470	0.103	E-24	2,500	0.057	CA-C3	1,400	0.032
B-9	2,612	0.060	D-14	4,188	0.096	E-25	2,500	0.057	CA-D1	2,490	0.057
B-10	2,612	0.060	D-15	2,531	0.058	E-26	2,500	0.057	CA-D2	1,400	0.032
B-11	2,612	0.060	D-16	2,531	0.058	E-27	2,500	0.057	CA-D3	1,417	0.033
B-12	2,612	0.060	D-17	2,531	0.058	E-28	3,937	0.090	CA-D4	2,633	0.060
B-13	2,613	0.060	D-18	2,531	0.058	E-29	4,486	0.103	CA-D5	1,500	0.034
B-14	2,612	0.060	D-19	2,531	0.058	E-30	2,500	0.057	CA-D6	1,425	0.033
B-15	2,612	0.060	D-20	2,528	0.058	E-31	2,500	0.057	CA-D7	3,210	0.074
B-16	2,612	0.060	D-21	3,937	0.090	E-32	2,500	0.057	CA-E1	3,923	0.090
B-17	2,612	0.060	D-22	2,500	0.057	E-33	2,500	0.057	CA-E2	1,400	0.032
B-18	4,277	0.098	D-23	2,500	0.057	E-34	2,500	0.057	CA-E3	1,442	0.033
C-4	5,596	0.128	D-24	2,500	0.057	E-35	2,500	0.057	CA-E4	1,500	0.034
C-5	2,627	0.060	D-25	2,500	0.057	E-36	2,500	0.057	CA-E5	1,400	0.032
C-6	2,625	0.060	D-26	2,500	0.057	E-37	5,554	0.127	CA-F1	1,400	0.032
C-7	2,625	0.060	D-27	3,938	0.090	F-4	4,722	0.108	CA-F2	1,400	0.032
C-8	2,625	0.060	D-28	4,436	0.102	F-5	2,500	0.057	CA-F3	2,106	0.048
C-9	2,625	0.060	D-29	2,544	0.058	F-6	2,500	0.057	CA-G1	27,709	0.636
C-10	2,625	0.060	D-30	2,544	0.058	F-7	2,500	0.057			
C-11	2,625	0.060	D-31	2,544	0.058	F-8	2,500	0.057			
	0.00	0000	l 5 70	0.544	0.050		0 500	0.057			

0.058 F-10

0.058 F-11

0.116 F-12

0.057 F-13

0.057 F-14

0.057 F-15

0.057 F-16

0.057 F-17

4,872 0.112 F-18

4,474 0.103 F-19

2,585 0.059

2,625 | 0.060 | D-32

0.057

D-33

D-34

E-10

E-11

E-12

E-13

E-14

6,893 0.158

2,500 0.057

2,500 0.057

2,500 0.057

2,500 0.057

2,500 0.057

2,500 0.057

2,500 0.057

2,500 0.057

2,500 0.057

2,509 0.058

2,500

C-18

C-19

C-20

C-21

C-22

C-23

2,544

2,544

2,544

5,063

2,500

2,500

2,500

2,500

2,500

2,575

2,500 0.057

2,500 0.057

2,500 0.057

2,500 0.057

2,500 0.057

2,500 0.057

2,500 0.057

2,500

2,500

2,500

4,849

Approved
,pp.0104
City Manager
City of McKinney, Texas
 Date
Jale
Attest
City Secretary City of McKinney, Texas
Sity of Michiniey, Texas
Date Control of the C

PRELIMINARY PLAT FOR REVIEW PURPOSES ONLY

PRELIMINARY PLAT **TOWNHOMES AT BLOOMDALE EAST**

RESIDENTIAL LOTS LOTS 2-7, BLOCK A, LOTS 6-18, BLOCK B LOTS 4-26, BLOCK C, LOTS 8-34, BLOCK D LOTS 6-37, BLOCK E, LOTS 4-19, BLOCK F

> OPEN SPACE LOTS LOT CA-A1, BLOCK A

LOTS CA-B1 – CA-B5, BLOCK B, LOTS CA-C1 – CA-C3, BLOCK C LOTS CA-D1 – CA-D7, BLOCK D, LOTS CA-E1 – CA-E5, BLOCK E LOTS CA-F1 – CA-F3, BLOCK F, LOT 1X, BLOCK G, LOT 1X, BLOCK H

> BEING 62.397 ACRES MEREDITH HART SURVEY, ABSTRACT NO. 764 CITY OF MCKINNEY, COLLIN COUNTY, TEXAS JANUARY 2024 SHEET 5 OF 5

OWNER

BLOOMDALE 140, LP 2600 El Dorado Parkway, Suite 115 McKinney, TX 75070-7517



BGE, Inc. 2595 Dallas Parkway, Suite 101, Frisco, TX 75034

Tel: 972-464-4800 • www.bgeinc.com TBPELS Registration No. 10193953 Copyright 2024

Contact: Mark Peace, R.P.L.S. Telephone: 972-464-4884 • Email: mpeace@bgeinc.com