

Informational Only

1. REFER TO WALL SECTIONS FOR ADDITIONAL DIMENSIONS AND FOR BUILDING MATERIALS.
2. REFER TO SITE PLAN FOR CONDITIONS BELOW FINISHED FLOOR LINE. GRADE AND PAVEMENT ARE SHOWN TO ONLY A LIMITED EXTENT OF THESE DRAWINGS.
3. REFER TO MECHANICAL AND ELECTRICAL PLANS & DETAILS FOR DEVICES, FIXTURES, AND VENTS WHICH ARE NOT INDICATED ON ELEVATIONS. COORDINATE LOCATIONS OF DEVICES AND PENETRATIONS AND ANCHORAGE WITH ALL APPLICABLE TRADES. EFFECTIVELY SEAL ALL PENETRATIONS. PROVIDE DECORATIVE TREATMENTS (ESCUTCHEONS, ETC.) AT EXPOSED PENETRATIONS.
4. PROVIDE SPLASH BLOCK AT EACH DOWNSPOUT.

NOTE:
ALL WINDOWS SHALL BE EQUAL TO 1/4" (6mm) PPG SOLARGREEN FLOAT GLASS, 1" INSULATED LOW-E WITH 2" x 4-1/2" PROFILE ALUMINUM STOREFRONT IN A CLEAR ANODIZED COLOR. ALL WINDOW GLAZING SHALL HAVE MINIMUM 13% REFLECTIVITY.

BUILDING MATERIALS
AREAS & PERCENTAGES
(EXCLUDES GLAZING & DOORS)

NORTH ELEVATION (FRONT) = 1,410 SF

STONE	600 SF	42.5%
STUCCO	810 SF	57.5%

SOUTH ELEVATION (REAR) = 1,314 SF

STONE	674 SF	51.2%
STUCCO	640 SF	48.8%

EAST & WEST ELEVATION (SIDES) = 562 SF

STONE	292 SF	51.9%
STUCCO	270 SF	48.1%



2 EAST ELEVATION (SIDE)
SCALE: 1/4" = 1'-0"



3 WEST ELEVATION (SIDE)
SCALE: 1/4" = 1'-0"



4 SOUTH ELEVATION (REAR)
SCALE: 1/4" = 1'-0"



5 NORTH ELEVATION (FRONT)
SCALE: 1/4" = 1'-0"

[illegible]

COLORED EXTERIOR ELEVATION EXHIBIT

EXHIBIT ONLY - NOT FOR CONSTRUCTION

ISSUE DATE:	SCALE:		As indicated
	APPROVED BY:		
JOB NO.:	CHECKED BY:		REVISION NO.:
	DESIGN BY:		<div style="text-align: center;"> <h1>EX4.0</h1> </div>
			SHEET NO.:



Informational Only



Informational Only