

**EXHIBIT** 

Dec 2020

1"=40'

3 **OF** 3

XX

SITE DATA SUMMARY: CURRENT ZONING CLASSIFICATION:

PD - PLANNED DEVELOPMENT DISTRICT CC - CORRIDOR COMMERCIAL OVERLAY DISTRICT

LANDSCAPE IMPROVEMENTS FOR THE PROPERTY SHALL CONFORM TO APPLICABLE SECTIONS (INCLUDED BELOW) OF <u>SECTION 146-135. LANDSCAPE</u>

REQUIREMENTS OF THE "CODE OF ORDINANCES" AND ORDINANCE NO. 2013-10-099 AS ADOPTED BY THE CITY OF MCKINNEY.

TOTAL PROPOSED LOT AREA: PROPOSED USE: BUILDING AREA:

773,859 SF/17.77 ACRES MULTI-FAMILY APARTMENT 143,890 SF

# UNITS / # BEDROOMS (REF. ARCHITECTURALS): # PARKING SPACES REQUIRED (REF. ARCHITECTURALS):

SUB-SECTION F - MINIMUM LANDSCAPING REQUIREMENTS

335 UNITS /470 BEDROOMS 1 PER BEDROOM = 470

## LANDSCAPE REQUIREMENTS


| 30L   | 5-SECTION I - MINIMONI LANDSCALING REQUIREMENTS   |   |
|-------|---|---|
| (1)   | FOR ALL NON—RESIDENTIAL AND MULTIPLE FAMILY PARCELS, AT LEAST 15 PERCENT OF THE STREET YARD SHALL BE PERMANENT LANDSCAPE<br>AREA. THE TERM "STREET YARD" SHALL BE DEFINED AS THE AREA BETWEEN THE FRONT PROPERTY LINE AND THE MINIMUM FRONT SET BACK<br>LINE.   | PROVIDED  |
| (2)   | FOR ALL NON—RESIDENTIAL AND MULTIPLE FAMILY PARCELS LOCATED AT THE INTERSECTION OF TWO DEDICATED PUBLIC STREETS (RIGHTS—OF—WAY), A 30—FOOT LANDSCAPE BUFFER SHALL BE PROVIDED PARALLEL TO THE CORNER CLIP RIGHT—OF—WAY DEDICATION, WHICH CAN BE COUNTED TOWARD THE 15 PERCENT REQUIREMENT. SEE APPENDIX E, ILLUSTRATION 19, FOR INTERSECTION LANDSCAPING.   | PROVIDED  |
| (3)   | FOR ALL NON-RESIDENTIAL AND MULTIPLE FAMILY PARCELS, A MINIMUM OF 10 PERCENT OF THE ENTIRE SITE SHALL BE DEVOTED TO LIVING LANDSCAPE, WHICH SHALL INCLUDE GRASS, GROUND COVER, PLANTS, SHRUBS, OR TREES.  | PROVIDED  |
| (4)   | LANDSCAPE SETBACKS ON THOROUGHFARES SHALL COMPLY WITH THE FOLLOWING PROVISIONS:   |   |
|       | A. LANDSCAPE SETBACKS ON MINOR THOROUGHFARES. FOR ALL NON-RESIDENTIAL AND MULTIPLE FAMILY PARCELS, A MINIMUM TEN-FOOT LANDSCAPE BUFFER ADJACENT TO THE RIGHT-OF-WAY OF ANY MINOR THOROUGHFARE IS REQUIRED. IF THE LOT IS A CORNER LOT, ALL FRONTAGES SHALL BE REQUIRED TO OBSERVE THE TEN-FOOT BUFFER.  | N/A   |
|       | B. LANDSCAPE SETBACKS ON MAJOR THOROUGHFARES. FOR NON-RESIDENTIAL AND MULTIPLE FAMILY PARCELS, A MINIMUM 20-FOOT LANDSCAPE BUFFER ADJACENT TO THE RIGHT-OF-WAY OF ANY MAJOR THOROUGHFARE IS REQUIRED. IF THE LOT IS A CORNER LOT, ALL FRONTAGES SHALL BE REQUIRED TO OBSERVE THE 20-FOOT BUFFER.  | PROVIDED  |
|       | C. LANDSCAPE SETBACK VARIANCES.   | N/A   |
| (1)   | FOR ALL NON-RESIDENTIAL AND MULTIPLE FAMILY PARCELS, DEVELOPERS SHALL BE REQUIRED TO PLANT ONE CANOPY TREE PER 40 LINEAR FEET, OR PORTION THEREOF, OF STREET FRONTAGE. THESE REQUIRED TREES MUST BE PLANTED WITHIN THE ASSOCIATED LANDSCAPE SETBACK ALONG THOROUGHFARES, UNLESS OTHERWISE APPROVED BY THE DIRECTOR OF PLANNING. TREES MAY BE GROUPED OR CLUSTERED TO FACILITATE SITE DESIGN.  | SUPERCEDED<br>SEE APPLICABLE SECTION<br>FROM PD BELOW |
| (2)   | LANDSCAPE AREAS WITHIN PARKING LOTS MUST BE AT LEAST ONE PARKING SPACE IN SIZE (162 SQUARE FEET).   | PROVIDED  |
| (3)   | NO LANDSCAPE AREA COUNTING TOWARD MINIMUM LANDSCAPING REQUIREMENTS SHALL BE LESS THAN 25 SQUARE FEET IN AREA OR LESS THAN FIVE FEET IN WIDTH.   | PROVIDED  |
| (4)   | FOR ALL NON-RESIDENTIAL AND MULTIPLE FAMILY PARCELS, INTERNAL LANDSCAPE AREAS SHALL:  A. HAVE A LANDSCAPED AREA WITH AT LEAST ONE TREE WITHIN 65 FEET OF EVERY PARKING SPACE; AND  B. HAVE A MINIMUM OF ONE TREE PLANTED IN THE PARKING AREA FOR EVERY 10 PARKING SPACES WITHIN PARKING LOTS WITH MORE THAN 20 SPACES.  | PROVIDED  |
| (1)   | WITHIN PARKING LOTS, LANDSCAPE AREAS WITH CURBS AND GUTTERS MUST BE PROVIDED TO DEFINE PARKING AREAS AND ASSIST IN CLARIFYING APPROPRIATE CIRCULATION PATTERNS.   | PROVIDED  |
| (2)   | A LANDSCAPE ISLAND SHALL BE LOCATED AT THE TERMINUS OF EACH PARKING ROW AND SHALL INCLUDE THE FOLLOWING:  |   |
|       | A. A MINIMUM OF ONE CANOPY TREE AT THE TERMINUS OF EACH PARKING ROW;  | PROVIDED  |
|       | B. A MINIMUM OF 50 PERCENT OF THE ISLAND COVERED WITH LIVING PLANT MATERIAL; AND C. A MAXIMUM OF 50 PERCENT OF THE PARKING ISLAND COVERED WITH BARK MULCH OR DECOMPOSED GRANITE MATERIAL.   |   |
| (1)   | ALL EXISTING TREES THAT ARE TO BE CONSIDERED FOR CREDIT SHALL BE PROVIDED WITH A PERMEABLE SURFACE (A SURFACE THAT DOES NOT IMPEDE THE ABSORPTION OF WATER) WITHIN A MINIMUM FIVE—FOOT RADIUS FROM THE TRUNK OF THE TREE.  ALL NEW TREES SHALL BE PROVIDED WITH A PERMEABLE SURFACE WITHIN A MINIMUM 2½—FOOT RADIUS FROM THE TRUNK OF THE TREE.   | PROVIDED  |
| (2)   | AT LEAST 75 PERCENT OF THE FRONTAGE OF PARKING LOTS, ADJACENT TO A PUBLIC RIGHT—OF—WAY, WITHIN THE STREET YARD SHALL BE SCREENED FROM PUBLIC STREETS WITH EVERGREEN SHRUBS ATTAINING A MINIMUM HEIGHT OF THREE FEET, AN EARTHEN BERM OF A MINIMUM HEIGHT OF THREE FEET, A LOW MASONRY WALL OF A MINIMUM HEIGHT OF THREE FEET, OR A COMBINATION OF THE ABOVE WITH A MINIMUM COMBINED HEIGHT OF THREE FEET. A WALL USED FOR PARKING LOT SCREENING SHOULD BE ACCOMPANIED WITH LANDSCAPE PLANTING IN THE FORM OF LOW SHRUBS AND GROUNDCOVER TO SOFTEN THE APPEARANCE OF THE WALL. | N/A   |
| (3)   | A MINIMUM OF 50 PERCENT OF THE TOTAL TREES REQUIRED FOR THE PROPERTY SHALL BE CANOPY TREES AS SPECIFIED ON THE APPROVED PLANT LIST (SEE APPENDIX A TO THIS CHAPTER).  | PROVIDED  |
| (4)   | NECESSARY DRIVEWAYS FROM THE PUBLIC RIGHT-OF-WAY SHALL BE ALLOWED THROUGH ALL REQUIRED LANDSCAPING AREAS IN ACCORDANCE WITH CITY REGULATIONS. SHARED DRIVES SHALL BE ALLOWED THROUGH PERIMETER LANDSCAPE AREAS.   | N/A   |
| (5)   | FOR ALL NON-RESIDENTIAL AND MULTIPLE FAMILY PARCELS, WHENEVER AN OFF-STREET PARKING AREA OR VEHICULAR USE AREA<br>ABUTS AN ADJACENT PROPERTY LINE, A PERIMETER LANDSCAPE AREA OF AT LEAST FIVE FEET SHALL BE MAINTAINED BETWEEN<br>THE EDGE OF THE PARKING AREA AND THE ADJACENT PROPERTY LINE.   | PROVIDED  |
| (6)   | WHENEVER A NON-RESIDENTIAL USE, MOBILE HOME USE, OR MULTIPLE FAMILY USE IS ADJACENT TO A PROPERTY USED OR ZONED FOR SINGLE-FAMILY OR DUPLEX RESIDENTIAL USES, THE MORE INTENSIVE LAND USE SHALL PROVIDE A LANDSCAPED AREA OF AT LEAST TEN FEET IN WIDTH ALONG THE COMMON PROPERTY LINE PLANTED WITH ONE CANOPY TREE FOR EACH 40 LINEAR FEET OR PORTION THEREOF OF ADJACENT EXPOSURE. THESE TREES MAY NOT BE CLUSTERED.  | PROVIDED  |
| (7)   | MULTIPLE FAMILY RESIDENTIAL USES SHALL PROVIDE A LANDSCAPED BUFFER OF AT LEAST 20 FEET IN WIDTH ALONG ALL PROPERTY LINES PLANTED WITH ONE CANOPY TREE FOR EACH 30 LINEAR FEET OR PORTION THEREOF OF ADJACENT EXPOSURE. THE TREES ALONG THE STREET FRONTAGE MAY BE CLUSTERED, WHILE THE TREES ALONG ALL OTHER PROPERTY LINES MAY NOT.  | PROVIDED  |
| (8)   | EVERGREEN SHRUBS (ACCEPTABLE FOR SIX—FOOT SCREENING) SHALL BE PROVIDED AROUND DUMPSTER SCREENING WALL, AND THE PLANT MATERIALS MUST BE A MINIMUM OF THREE FEET IN HEIGHT AT THE TIME OF PLANTING, UNLESS NOT VISIBLE FROM PUBLIC RIGHT—OF—WAY OR A PUBLIC USE AREA.   | PROVIDED  |
| UDDIN | ANCE NO. 2013_10_000:   |   |
|       | ANCE NO. 2013-10-099:<br>CABLE DEVELOPMENT REGULATIONS FROM "EXHIBIT B"   |   |
|       | SCAPING.  |   |
| i.    | REQUIREMENTS OF SECTION 146-135 OF THE ZONING ORDINANCE, AND AS AMENDED, SHALL APPLY EXCEPT AS FOLLOWS:  CANOPY TREES SHALL BE PLANTED APPROXIMATELY 30 FEET ON CENTER ALONG EVERY PUBLIC STREET, FIRE LANE, AND MUTUAL  ACCESS EASEMENT. THESE TREES MAY BE CLUSTERED IN RARE CASES WHERE SIGN VISIBILITY, ARCHITECTURAL VISIBILITY, OR  OTHER REASONABLE VISIBILITY NEEDS ARE PRESENT, SUBJECT TO REVIEW AND APPROVAL BY THE DIRECTOR OF PLANNING.  | PROVIDED  |
| ii.   | CANOPY TREE PLACEMENT SHALL OCCUR BETWEEN SIDEWALKS AND THE ADJACENT VEHICULAR DRIVING LANES TO CREATE A  |   |
|       | SENSE OF SAFETY FOR THE PEDESTRIAN. THESE TREES SHALL OCCUR IN THE FOLLOWING CONDITIONS:  |   |
|       | <ul> <li>5' X 5' MINIMUM PAVING LEAVE—OUTS WITHIN SIDEWALK PLANTED WITH IRRIGATED GROUND COVER</li> <li>5' X 5' MINIMUM TREE GRATES WITHIN SIDEWALK</li> <li>IRRIGATED PLANTERS WITHIN HEAD—IN PARKING SPACES</li> </ul>  | PROVIDED  |
| DEVIA | TIONS MAY OCCUR WHERE NECESSARY TO ADDRESS ARCHITECTURAL DESIGN, ENGINEERING, FIRE, OR OTHER RELATED NEEDS.   |   |
|       |   |   |

| LOCATION OF               | REQUIRED/ |          | LANDSCAPE             | CANOPY TREES   |
|---------------------------|-----------|----------|-----------------------|----------------|
| LANDSCAPE SETBACK         | PROVIDED  | LENGTH   | SETBACK WIDTH         | 1 PER 30' FEET |
| NORTH (ADJACENT PROPERTY) | REQUIRED  | 803.14'  | 20' LS STREET SETBACK | 27             |
|                           | PROVIDED  |          |                       | 19*            |
| EAST (ADJACENT PROPERTY)  | REQUIRED  | 970.23'  | 20' LS STREET SETBACK | 33             |
|                           | PROVIDED  |          |                       | 24*            |
| SOUTH (JUSTICE STREET)    | REQUIRED  | 655.04'  | 20' LS STREET SETBACK | 22             |
|                           | PROVIDED  |          |                       | 22             |
| WEST (JAMES PITTS DRIVE)  | REQUIRED  | 1128.97' | 20' LS STREET SETBACK | 38             |
| ·                         | PROVIDED  |          |                       | 38             |

| OF REQUIRED PARKING SPACES (470 REQUIRED PER ORDINANCE) | 470 |
|---|-----|
| OF PARKING LOT TREES REQUIRED (1 PER 10 SPACES)         | 47  |
| # OF PARKING LOT TREES PROVIDED (1 PER 10 SPACES)       | 149 |

| <b>0</b> 0000                            | BALD CYPRESS SHUMARD RED OAK CHINESE PISTACHE CEDAR ELM LIVE OAK | TAXODIUM DISTICHUM  QUERCUS SHUMARDII  PISTACIA CHINENSIS  | 5" CAL  | 12-14'<br>12-14'   | SINGLE TRUNK  |
|--|--|--|---|--|---|
| <b>0</b> 0000                            | SHUMARD RED OAK CHINESE PISTACHE CEDAR ELM                       | QUERCUS SHUMARDII<br>PISTACIA CHINENSIS  | 5" CAL  |  |   |
| 0<br>0<br>0                              | CHINESE PISTACHE CEDAR ELM                                       | PISTACIA CHINENSIS   |   | 12-14'   |   |
| Ŏ<br>O                                   | CEDAR ELM  |  | _ "   |  | SINGLE TRUNK  |
| Ŏ  |  |  | 5" CAL  | 12-14'   | SINGLE TRUNK (MALE VARIETY ONLY)  |
|  | LIVE OAK   | ULMUS CRASSIFOLIA  | 5" CAL  | 12-14'   | SINGLE TRUNK  |
| ×  | L. T. L. O/ 11 \   | QUERCUS VIRGINIANA   | 5" CAL  | 12-14'   | SINGLE TRUNK  |
|  | 'SKY CLIMBER' OAK  | QUERCUS VIRGINIANA 'SKY CLIMBER'   | 5" CAL  | 12-14'   | SINGLE TRUNK  |
| ITAL TREES                               |  |  |   |  |   |
| $\odot$                                  | YAUPON HOLLY   | ILEX VOMITORIA   | 30 GAL.   | 6-8'   | CONTAINER GROWN / FULL BRANCHIN   |
| 0  | SAVANNAH HOLLY   | ILEX ATTENUATA 'SAVANNAH'  | 30 GAL.   | 6-8'   | CONTAINER GROWN / FULL BRANCHIN   |
| $\otimes$                                | CREPE MYRTLE   | LAGERSTROEMIA INDICA   | 30 GAL.   | 6-8'   | CONTAINER GROWN / FULL BRANCHIN   |
| -<br>-<br>-<br>-<br>-<br>-<br>-          |  |  |   |  |   |
|  | CHINESE HOLLY  | ILEX CORNUTA   | 5 GAL.  |  | 30-36" O.C. (TYP.)  |
|  | DWARF BURFORD HOLLY  | ILEX CORNUTA 'BURFORDII NANA'  | 5 GAL.  |  | 30-36" O.C. (TYP.)  |
|  | VARIEGATED CHINESE PRIVET  | LIGUSTRUM SINENSE 'VARIEGATA'  | 5 GAL.  |  | 30-36" O.C. (TYP.)  |
|  | NANDINA  | NANDINA DOMESTICA  | 5 GAL.  |  | 24-30" O.C. (TYP.)  |
|  | DWARF YAUPON   | ILEX VOMITORIA 'NANA'  | 5 GAL.  |  | 24 O.C. (TYP.)  |
| EN SCREEN                                |  |  |   |  |   |
| +)(+)(+)(+)(+)(+)(+)(+)(+)(+)(+)(+)(+)(+ | BURFORD HOLLY <u>OR</u>  | ILEX CORNUTA 'BURFORDII'   | 5 GAL.  |  | 30-36" O.C. (TYP.)  |
|  | DWARF BURFORD HOLLY  | ILEX CORNUTA 'BURFORDII NANA'  | 5 GAL.  |  | 30-36" O.C. (TYP.)  |
| NDCOVERS                                 |  |  |   |  |   |
|  | ASIAN JASMINE  | TRACHAELOSPERMUM ASIATICUM   | 1 GAL.  |  | 12"-18" O.C. (TYP.)   |
|  | PURPLELEAF WINTERCREEPER   | EUONYMUS FORTUNEI  | 1 GAL.  |  | 12"-18" O.C. (TYP.)   |
|  | LIRIOPE  | LIRIOPE MUSCARI 'BIG BLUE'   | 3 GAL.  |  | 18" O.C. (TYP.)   |
|  | IRUBS SEN SCREEN OCOVERS   | SAVANNAH HOLLY  CREPE MYRTLE  IRUBS  CHINESE HOLLY  DWARF BURFORD HOLLY  VARIEGATED CHINESE PRIVET  NANDINA  DWARF YAUPON  EN SCREEN  DWARF BURFORD HOLLY  DWARF BURFORD HOLLY  NDCOVERS  ASIAN JASMINE  PURPLELEAF WINTERCREEPER  LIRIOPE | SAVANNAH HOLLY  CREPE MYRTLE  LAGERSTROEMIA INDICA  IRUBS  CHINESE HOLLY  DWARF BURFORD HOLLY  VARIEGATED CHINESE PRIVET  NANDINA  DWARF YAUPON  EN SCREEN  WARF BURFORD HOLLY  DWARF BURFORD HOLLY  DWARF BURFORD HOLLY  TEX CORNUTA 'BURFORDII NANA'  NANDINA DOMESTICA  DWARF YAUPON  ILEX CORNUTA 'NANA'  TEN SCREEN  WARF BURFORD HOLLY  DWARF BURFORD HOLLY  TRACHAELOSPERMUM ASIATICUM  PURPLELEAF WINTERCREEPER  EUONYMUS FORTUNEI  LIRIOPE  LIRIOPE LIRIOPE MUSCARI 'BIG BLUE' | SAVANNAH HOLLY  ILEX ATTENUATA 'SAVANNAH'  30 GAL.  CREPE MYRTLE  LAGERSTROEMIA INDICA  30 GAL.  IRUBS  CHINESE HOLLY  DWARF BURFORD HOLLY  VARIEGATED CHINESE PRIVET  NANDINA  DWARF YAUPON  ILEX CORNUTA 'BURFORDII NANA'  5 GAL.  NANDINA  NANDINA DOMESTICA  DWARF YAUPON  ILEX VOMITORIA 'NANA'  5 GAL.  EN SCREEN  DWARF BURFORD HOLLY  ILEX CORNUTA 'BURFORDII'  5 GAL.  DWARF BURFORD HOLLY  ILEX CORNUTA 'BURFORDII'  5 GAL.  DWARF BURFORD HOLLY  ILEX CORNUTA 'BURFORDII NANA'  5 GAL.  DWARF BURFORD HOLLY  ILEX CORNUTA 'BURFORDII NANA'  5 GAL.  ILEX CORNUTA 'BURFORDII'  5 GAL.  ILEX CORNUTA 'BURFORDII' | SAVANNAH HOLLY ILEX ATTENUATA 'SAVANNAH' 30 GAL. 6-8'  CREPE MYRTLE LAGERSTROEMIA INDICA 30 GAL. 6-8'  IRUBS  CHINESE HOLLY ILEX CORNUTA 5 GAL.  DWARF BURFORD HOLLY ILEX CORNUTA 'BURFORDII NANA' 5 GAL.  VARIEGATED CHINESE PRIVET LIGUSTRUM SINENSE 'VARIEGATA' 5 GAL.  NANDINA NANDINA DOMESTICA 5 GAL.  DWARF YAUPON ILEX CORNUTA 'BURFORDII' 5 GAL.  EN SCREEN  DWARF BURFORD HOLLY OR ILEX CORNUTA 'BURFORDII' 5 GAL.  DWARF BURFORD HOLLY ILEX CORNUTA 'BURFORDII NANA' 5 GAL.  ASIAN JASMINE TRACHAELOSPERMUM ASIATICUM 1 GAL.  PURPLELEAF WINTERCREEPER EUONYMUS FORTUNEI 1 GAL.  LIRIOPE LIRIOPE MUSCARI 'BIG BLUE' 3 GAL. |

- 1. ALL PLANT SPECIES SHALL CONFORM TO THE CITY OF MCKINNEY SECTION 146-135. LANDSCAPE REQUIREMENTS APPENDIX A PLANTS APPROVED FOR
- 2. THE PLANT LIST SHOWN, INCLUDING SPECIES AND QUANTITIES, IS BASED ON PRELIMINARY DESIGN DRAWINGS AND IS THEREFORE SUBJECT TO CHANGE. 3. ANY CHANGES TO PLANT MATERIAL USED TO MEET LANDSCAPE ORDINANCE REQUIREMENTS SHALL BE REVIEWED BY THE CITY OF MCKINNEY PRIOR TO INSTALLATION TO ENSURE THAT APPROVED PLANTS ARE BEING USED AND ARE ACCEPTABLE RELATIVE TO SIZE, SPACING AND QUANTITIES.
- 4. ALL PLANT MATERIALS ARE TO BE HIGH QUALITY AND SHALL MEET OR EXCEED GRADES AND STANDARDS SET FORTH BY THE TEXAS ASSOCIATION OF NURSERYMEN AND "AMERICAN STANDARDS FOR NURSERY STOCK". PLANT MATERIALS SHALL BE IN ACCORDANCE WITH THE SIZE, HEIGHT, SPREAD AND CONDITION REMARKS AS SHOWN IN THE PLANT LIST.




(now what's **below**. Call before you dig.

TEXAS ONE CALL 48 HOURS NOTICE

Texas One Call System 1-800-344-8377

UTILITY LOCATION NOTE: THE LOCATION OF EXISTING UTILITIES SHOWN ON PARTICIPANTS REQUEST | THESE PLANS ARE APPROXIMATE AND BASED ON EXISTING PLANS AND DATA FURNISHED BY UTILITY BEFORE YOU DIG, DRILL COMPANIES. IT IS THE RESPONSIBILITY OF THE OR BLAST - STOP CALL | CONTRACTOR TO VERIFY THE LOCATION AND DEPTH OF ALL EXISTING UTILITIES THAT MAY CONFLICT WITH CONSTRUCTION. CALL 1-800-344-8377 TWO WORKING DAYS PRIOR TO CONSTRUCTION FOR ONSITE LOCATIONS. ANY DAMAGE TO EXISTING UTLITIES SHALL BE REPAIRED AT CONTRACTOR'S EXPENSE, AT NO ADDITIONAL COST.







urban engineers group inc. 167 turtle creek blvd., ste a dallas, texas 75207 (214) 252-1600 p (214) 252-1612 f

SITE LANDSCAPE

REQUIREMENTS/PLANT LIST

COLLIN SOLIABE

| COLLIN SQUARE  |                                     |             |   |       |               |  |         |  |  |  |
|--|-------------------------------------|-------------|---|-------|---------------|--|---------|--|--|--|
| PROPERTY DI  | EVELOPER:                           |             | PROPERTY OWNER:   |       |               | PROPERTY ADDRESS:  |         |  |  |  |
| CAPST<br>REAL ESTATE<br>14881 QUOF<br>DALLAS, TX<br>P: 214-599 | E ADVISORS<br>RUM DR., STE<br>75254 | E 920       | DOUGLAS MOUSEL<br>LANDPLAN DEVELOPMENT CORP.<br>5850 GRANITE PARKWAY<br>SUITE 100<br>PLANO, TX 75024<br>P: 214-618-3811 |       |               | JUSTICE ROAD & JAMES PITTS DRIVE CITY OF MCKINNEY, COLLIN COUNTY, TEXAS TJ MCDONALD SURVEY A-576 |         |  |  |  |
| DESIGN   | DRAWN                               | DATE        | Ξ   | SCALE | SHEET NO.     | CASE NO.   | EXHIBIT |  |  |  |
| UEGi   | UEGi                                | Dec<br>2020 |   | N/A   | 1 <b>OF</b> 3 | XX   |         |  |  |  |